

LIST OF REFERENCES FOR PROPOSED RULE

- Airoldi, L. 2003. The effects of sedimentation on rocky coast assemblages. *Oceanography and Marine Biology: an Annual Review*. 41:161-236.
- Ault, J. S. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) -- black, green, and red abalones. U.S. Fish & Wildlife Service Biological Report 82 (11.32), U.S. Army Corps of Engineers, TR EL-82-4. U.S. Department of the Interior, Washington, D.C.
- Bergen, M. 1971. Growth, feeding, and movement in the black abalone, *Haliotis cracherodii* Leach 1814. Master's thesis. University of California, Santa Barbara.
- Blecha, J. B., J. R. Steinbeck, and D. C. Sommerville. 1992. Aspects of the biology of the black abalone (*Haliotis cracherodii*) near Diablo Canyon, central California. Pages 225-236 in S. A. Shepherd, M. J. Tegner, and S. A. Guzmán del Próo, editors. Abalone of the world: Biology, fisheries, and culture. Proceedings of the 1st International Symposium on Abalone. Blackwell Scientific Publications Ltd., Oxford, U.K.
- California Department of Fish and Game. 1993. California fishery data for black abalone 1956-1993.
- Chambers, M. D., G. R. VanBlaricom, L. Hauser, F. Utter, and C. S. Friedman. 2006. Genetic structure of black abalone (*Haliotis cracherodii*) populations in the California islands and central California coast: Impacts of larval dispersal and decimation from withering syndrome. *Journal of Experimental Marine Biology and Ecology* **331**:173-185.
- Cox, K. W. 1960. Review of the abalone of California. California Department of Fish and Game, Marine Resources Operations.
- Cox, K. W. 1962. California abalones, family haliotidae. California Department of Fish and Game, Fish Bulletin 118:1-132.
- Douros, W. J. 1985. Density, growth, reproduction, and recruitment in an intertidal abalone: Effects of intraspecific competition and prehistoric predation. Master's thesis. University of California, Santa Barbara.
- Douros, W. J. 1987. Stacking behavior of an intertidal abalone: An adaptive response or a consequence of space limitation? *Journal of Experimental Marine Biology and Ecology* **108**:1-14.
- Feely, R. A., C. L. Sabine, K. Lee, W. Berelson, J. Kleypas, and V. J. Fabry. 2004. Impact of anthropogenic CO₂ on the CaCO₃ system in the oceans. Pages 362-366 in Science.
- Friedman, C. S., W. Biggs, J. D. Shields, P. L. Haaker, C. Chun, and R. P. Hedrick. 1997. An examination of four potential etiologies of WS: Temperature, food availability, renal coccidia, and Rickettsiales-like procaryotes. *in Third International Abalone Symposium: Biology, fisheries, and culture*, Monterey, CA, October 26-31, 1997.
- Geiger, D.L. 2003. Phylogenetic assessment of characters proposed for the generic classification of Recent Scissurellidae (Gastropoda: Vetigastropoda) with a description of one new genus and six new species from Easter Island and Australia. *Molluscan Research* 23, 21-83.

- Geiger, D. L. 2004. AbMap: The abalone mapping project (<http://www.vetigastropoda.com/ABMAP/text/index.htm>). Website accessed: December 30, 2009.
- Gruenthal, K. M. 2007. Conservation genetics of California abalone species. Doctoral dissertation. University of California, San Diego, La Jolla, CA.
- Gruenthal, K. M. and R. S. Burton. 2008. Genetic structure of natural populations of the California black abalone (*Haliotis cracherodii* Leach, 1814), a candidate for endangered species status. *Journal of Experimental Marine Biology and Ecology*. 355: 47-58.
- Haaker, P. L., K. C. Henderson, and D. O. Parker. 1986. California abalone. California Department of Fish and Game, Marine Resources Division, Long Beach, CA.
- Haaker, P. L., D. O. Parker, and C. S. Y. Chun. 1995. Growth of black abalone, *Haliotis cracherodii* Leach, at San Miguel Island and Point Arguello, California. *Journal of Shellfish Research* **14**:519-525.
- Hagen, A. N. and K. E. Hodges. 2006. Resolving critical habitat designation failures: Reconciling law, policy, and biology. *Conservation Biology* 20(2): 399-407.
- Hall-Spencer, J. M., R. Rodolfo-Metalpa, S. Martin, E. Ransome, M. Fine, S. Turner, S. J. Rowley, D. Tedesco, and M-C. Buia. 2008. Volcanic carbon dioxide vents show ecosystem effects of ocean acidification. *Nature* 454: 96-99.
- Hamm, D. E., and R. S. Burton. 2000. Population genetics of black abalone, *Haliotis cracherodii*, along the central California coast. *Journal of Experimental Marine Biology and Ecology* **254**:235-247.
- Harley, C. D. G., and L. Rogers-Bennett. 2004. The potential synergistic effects of climate change and fishing pressure on exploited invertebrates on rocky intertidal shores. *CalCOFI Reports* **45**:98-110.
- Harvey, E., J. M. Hoekstra, R. J. O'Connor, and W. F. Fagan. 2002. Recovery plan revisions: progress or due process? *Ecological Applications* 12:682–689.
- Hines, A., S. Anderson, and M. Brisbin. 1980. Heat tolerance in the black abalone *Haliotis cracherodii*: Effects of temperature fluctuation and acclimation *Veliger* **23**:113-118.
- Hines, A. H., and J. S. Pearse. 1982. Abalones, shells, and sea otters: dynamics of prey populations in central California. *Ecology* **63**:1547-1560.
- Howorth, P. C. 1978. The abalone book. Naturegraph Publishers, Inc., Happy Camp, CA.
- Leighton, D., and R. A. Boolootian. 1963. Diet and growth in the black abalone, *Haliotis cracherodii*. *Ecology* **44**:227-238.
- Leighton, D. L. 1959. Diet and its relation to growth in the black abalone, *Haliotis cracherodii* Leach. Master's thesis. University of California, Los Angeles.
- Leighton, D. L. 2005. Status review for the black abalone, *Haliotis cracherodii* Leach 1814. Unpublished document produced for the Black Abalone Status Review Team, NMFS, Southwest Region, Office of Protected Resources, Long Beach, CA. 32 pp.
- Light, S. F. 1941. Laboratory and Field Text in Invertebrate Zoology. 1st Edition. Associated Students Store University of California. 233 pp.
- Littler, M. M., D. R. Martz and D. S Littler. 1983. Effects of recurrent sand deposition on rocky intertidal organisms: importance of substrate heterogeneity in a fluctuating environment. *Mar. Ecol. Prog. Ser.* 11: 129-139.
- Los Angeles County Sanitation Districts (LACSD). 1997. Palos Verdes Ocean Monitoring: Annual Report 1996.

- Lundquist, C. J., J. M. Diehl, E. Harvey, and L. W. Botsford. 2002. Factors affecting implementation of recovery plans. *Ecological Applications* **12**:713-718.
- Martin, M., M. D. Stephenson, and J. H. Martin. 1977. Copper toxicity experiments in relation to abalone deaths observed in a power plant's cooling waters. *California Fish and Game* **63**:95-100.
- McShane, P. E. 1992. Early life history of abalone: A review. Pages 120-138 in S. A. Shepherd, M. J. Tegner, and S. A. Guzmán del Próo, editors. *Abalone of the world. Biology, fisheries, culture. Proceedings of the 1st International Symposium on Abalone*. Blackwell Scientific Publications Ltd., Oxford, U. K.
- Miller, A. C., and S. E. Lawrenz-Miller. 1993. Long-term trends in black abalone, *Haliotis cracherodii* Leach, 1814, populations along the Palos Verdes Peninsula, California. *Journal of Shellfish Research* **12**:195-200.
- Miner, C. M., J. M. Altstatt, P. T. Raimondi, and T. E. Minchinton. 2006. Recruitment failure and shifts in community structure following mass mortality limit recovery prospects of black abalone. *Marine Ecology Progress Series* **327**:107-117.
- Morin, J. G. and A. Harrington. 1979. California marine waters Area of Special Biological Significance reconnaissance survey report, Mugu Lagoon to Latigo Point (Ventura and Los Angeles Counties). California State Water Resources Control Board Water Quality Monitoring Report 79-5. 224 pp.
- Morris, R. H., D. L. Abbott, and E. C. Haderlie. 1980. *Intertidal invertebrates of California*. Stanford University Press, Palo Alto, CA.
- Morse, A. N. C., and D. E. Morse. 1984. Recruitment and metamorphosis of *Haliotis* larvae are induced by molecules uniquely available at the surfaces of crustose red algae. *Journal of Experimental Marine Biology and Ecology* **75**:191-215.
- Morse, D. E. 1990. Recent progress in larval settlement and metamorphosis: Closing the gaps between molecular biology and ecology. *Bulletin of Marine Science* **46**:465-483.
- Morse, D. E. 1992. Molecular mechanisms controlling metamorphosis and recruitment in abalone larvae. Pages 107-119 in S. A. Shepherd, M. J. Tegner, and S. A. Guzmán del Próo, editors. *Abalone of the world: Biology, fisheries, and culture. Proceedings of the 1st International Symposium on Abalone*. Blackwell Scientific Publications Ltd., Oxford, U.K.
- Morse, D.E., N. Hooker, H. Duncan, and L. Jensen. 1979a. γ -aminobutyric acid, a neurotransmitter, induces planktonic abalone larvae to settle and begin metamorphosis. *Science* **204**:407-410.
- Morse, D. E., N. Hooker, L. Jensen, and H. Duncan. 1979b. Induction of larval abalone settling and metamorphosis by Y-aminobutyric acid and its congeners from crustose red algae: II: Applications to cultivation, seed-production and bioassays; principal causes of mortality and interference. *Proc. World Maricult. Soc.* **10**:81-91.
- Murray, S. N. and M. M. Littler. 1974. Biological features of intertidal communities near the U.S. Navy sewage outfall, Wilson Cove, San Clemente Island, California. Naval Undersea Center. Technical Publication. [No. 396], 1-85. San Diego, California.

- NMFS. 2010a. Proposed designation of critical habitat for black abalone: Economic Report. NMFS Southwest Region Protected Resources Division, Long Beach, CA.
- NMFS. 2010b. Designation of critical habitat for the endangered black abalone: Draft ESA section 4(b)(2) report. NMFS Southwest Region Protected Resources Division, Long Beach, CA.
- NMFS. 2010c. Proposed designation of critical habitat for black abalone: Biological Report. NMFS Southwest Region Protected Resources Division, Long Beach, CA.
- Prince, J. D., T. L. Sellers, W. B. Ford, and S. R. Talbot. 1988. Confirmation of a relationship between the localized abundance of breeding stock and recruitment for *Haliotis rubra* Leach (Mollusca: Gastropoda). Journal of Experimental Marine Biology and Ecology **122**:91-104.
- Raimondi, P. T., C. M. Wilson, R. F. Ambrose, J. M. Engle, and T. E. Minchinton. 2002. Continued declines of black abalone along the coast of California: are mass mortalities related to El Nino events? Marine Ecology-Progress Series **242**:143-152.
- Shepherd, S. A., and P. A. Breen. 1992. Mortality of abalone: Its estimation, variability, and causes. Pages 276-304 in S. A. Shepherd, M. J. Tegner, and S. A. Guzmán del Próo, editors. Abalone of the world: Biology, fisheries, and culture. Blackwell Scientific Publications Ltd., Oxford, U.K.
- Shirayama, Y., and H. Thorton. 2005. Effect of increased atmospheric CO₂ on shallow water marine benthos. J. Geophys. Res. 110.
- Siegel, D. A., S. Mitarai, C. J. Costello, S. D. Gaines, B. E. Kendall, R.R. Warner, and K. B. Winters. 2008. The stochastic nature of larval connectivity among nearshore marine populations. Proc. Natl. Acad. Sci. 105(26): 8974-8979.
- Silver, J. and B. Riley. 2001. Environmental Impact of Pesticides Commonly Used on Urban Landscapes. Restoring Healthy School Landscapes. pp. 8-16.
- Smith, G., C. Stamm, and F. Petrovic. 2003. *Haliotis cracherodii*. In IUCN 2006 Red List of threatened species. Available at <http://www.iucnredlist.org/search/details.php/41880/all>
- State Water Resources Control Board (SWRCB). 1979. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Farallon Islands, San Francisco County Water Quality Monitoring Report. 132 pp.
- State Water Resources Control Board (SWRCB). 1979. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Santa Cruz Island, Santa Barbara County Water Quality Monitoring Report No. 79-8. 122 pp.
- State Water Resources Control Board (SWRCB). 1979. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Pacific Grove Marine Garden Fish Refuge and Hopkins Marine Life Refuge, Monterey County Water Quality Monitoring Report No. 79-11. 180 pp.
- State Water Resources Control Board (SWRCB). 1979. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Carmel Bay, Monterey County Water Quality Monitoring Report No. 79-10. 176 pp.

- State Water Resources Control Board (SWRCB). 1980. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Double Point, Marin County Water Quality Monitoring Report No. 79-15. 118 pp.
- State Water Resources Control Board (SWRCB). 1982. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: Santa Rosa Island, Santa Barbara County Water Quality Monitoring Report No. 81-6TS. 94 pp.
- State Water Resources Control Board (SWRCB). 1982. California Marine Water Areas of Special Biological Significance Reconnaissance Survey Report: San Miguel Island, Santa Barbara County Water Quality Monitoring Report No. 81-7TS. 92 pp.
- Steneck, R. S., I. G. Macintyre, & R. P. Reid. 1997. A unique algal ridge system in the Exuma Cays, Bahamas. *Coral Reefs* 16, 29–37.
- Taylor, M. F. J., K. F. Suckling, & J. J. Rachlinski. 2005. The effectiveness of the Endangered Species Act: A quantitative analysis. *Bioscience*. 55(4): 360-367.
- Tegner, M. J., and R. A. Butler. 1985. Drift-tube study of the dispersal potential of green abalone (*Haliotis fulgens*) in the Southern California Bight: Implications for recovery of depleted populations. *Marine Ecology Progress Series* 26:73-84.
- Thompson, W. F. 1920. The abalones of Northern California. *California Fish and Game* 6(2): 45-50.
- Thompson, R. C., T. P. Crowe, and S. J. Hawkins. 2002. Rocky intertidal communities: past environmental changes, present status and predictions for the next 25 years. *Environmental Conservation* 29 (2):168-191.
- Tierra Data Inc., 2008. Naval Auxiliary Landing Field, San Clement Island Black Abalone (*Haliotis cracherodii*) Survey. Unpublished report for the Naal Facilities Engineering Command Southwest, San Diego, CA.
- Tissot, B. N. 2007. Long-term population trends in the black abalone, *Haliotis cracherodii*, along the eastern Pacific coast. Unpublished report for the Office of Protected Resources, Southwest Region, National Marine Fisheries Service, Long Beach, CA.
- Toonen, R. J. and Pawlik, J. R., 1994. Foundations of gregariousness. *Nature* **370**, 511-512.
- Trapido-Rosenthal, H. G., and D. E. Morse. 1986. Availability of chemosensory receptors is down-regulated by habituation of larvae to a morphogenetic signal. *Proceedings of the National Academy of Sciences USA* **83**:7658-7662.
- U.S. Federal Register, Volume 73, No. 8, Page 1986. January 11, 2008. Endangered and threatened wildlife and plants; proposed endangered status for black abalone.
- U.S. Federal Register, Volume 74, No. 9, Page 1937. January 14, 2009. Final rule: Endangered and threatened wildlife and plants; endangered status for black abalone.
- VanBlaricom, G. R., and R. J. Jameson. 1982. Lumber spill in central California waters: Implications for oil spills and sea otters. *Science* **215**:1503-1505.
- VanBlaricom, G. R. 1993. Dynamics and distribution of black abalone populations at San Nicolas Island, California. Pages 323-334 in F. G. Hochberg, editor. Third California Islands Symposium: recent advances in research on the California Islands. Santa Barbara Museum of Natural History, Santa Barbara, CA.

- VanBlaricom, G. R., J. L. Ruediger, C. S. Friedman, D. D. Woodard, and R. P. Hedrick. 1993. Discovery of withering syndrome among black abalone *Haliotis cracherodii* Leach, 1814, populations at San Nicolas Island, California. Journal of Shellfish Research **12**:185-188.
- VanBlaricom, G., M. Neuman, J. Butler, A. DeVogelaere, R. Gustafson, C. Mobley, D. Richards, S. Rumsey, and B. Taylor. 2009. Status review report for black abalone (*Haliotis cracherodii* Leach, 1814). U.S. Department of Commerce, National Oceanic and Atmospheric Administration. National Marine Fisheries Service, Long Beach, CA.
- Vilchis, L. I., M. J. Tegner, J. D. Moore, C. S. Friedman, K. L. Riser, T. T. Robbins, and P. K. Dayton. 2005. Ocean warming effects on growth, reproduction, and survivorship of southern California abalone. Ecological Applications **15**:469-480.
- Wagner, R. J. L., and R. T. Abbott. 1990. Wagner and Abbott's world size records, Supplement 4, standard catalog of shells. American Malacologists, Inc., Melbourne, FL.
- Webber, H. H., and A. C. Giese. 1969. Reproductive cycle and gametogenesis in the black abalone *Haliotis cracherodii* (Gastropoda: Prosobranchiata). Marine Biology **4**:152-159.
- Wentworth, C. K. 1922. A Scale of Grade and Class Terms for Clastic Sediments. The Journal of Geology, Vol. 30, No. 5 (Jul. - Aug., 1922), pp. 377-392.
- Wolanski, E., and S. Spagnol. 2000. Sticky waters in the Great Barrier Reef. Estuarine, Coastal and Shelf Science **50**:27-32.
- Young, P. H. 1964. Some effects of sewer effluent on marine life. California Fish and Game **50**:33-41.
- Zedler, J. B. 1976. Ecological resource inventory of the Cabrillo National Monument Intertidal Zone. 1976 Project Report. San Diego State University Biology Department, San Diego, California.
- Zedler, J. B. 1978. Public use effects in the Cabrillo National Monument Intertidal Zone. Project Report. San Diego State University Biology Department, San Diego, California.
- Zeidberg, L. D., and W. M. Hamner. 2002. Distribution of squid paralarvae, *Loligo opalescens* (Cephalopoda: Myopsida), in the Southern California Bight in the three years following the 1997-1998 El Nino. Marine Biology **141**:111-122.