

**Santa Ynez River main stem, Santa Barbara County
CAP Workbook Threats Assessment Summary Tables
2008**

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Double-click opens entry form

Conservation Target	Category	Key Attribute	Indicator	Indicator Ratings				Current Indicator Status	Current Rating	Desired Rating	Date of Current Rating	Date for Desired Rating
				Poor	Fair	Good	Very Good					
1 Egg	Landscape Context	Flow during incubation period	Baseflow in relation to avg. annual daily flow	< 25% of avg. annual daily flow	26-50% of avg. annual daily flow		> 50% of avg. annual daily flow	intermittent	Poor		Sep-07	
1 Egg	Landscape Context	Non-native species	Non-native egg predators	present throughout watershed	present in >50% of watershed	present in < 50% of watershed	absent	many nn predators	Poor		Oct-98	
1 Egg	Landscape Context	Water temperature	Mean weekly avg. temperature in redds	< 5 C. and > 13 C.	11.1-13 C.	10.1-11 C.	6-10 C.					
1 Egg	Condition	Substrate quality	Avg. percent fines (<0.85mm) in potential spawning areas	> 17% fines	11-17% fines	5-10 % fines	< 5% fines		Fair		Sep-07	
1 Egg	Condition	Substrate quality	Embeddedness	> 75% embedded	50-75% embedded	25-49% embedded	< 25% embedded		Fair		May-95	
2 Fry	Landscape Context	Dispersal	Barriers between redds and rearing habitat	complete barrier	partial barriers common	partial barriers scarce	no barriers		Fair		Sep-07	
2 Fry	Landscape Context	Non-native species	Non-native fry predators	present throughout watershed	present > 50% watershed	present < 50% of watershed	absent	many species	Poor		Aug-07	
2 Fry	Landscape Context	Sediment supply	Turbidity (no. days turbidity is > 25 NTUs)	> 30 days during fry development period	20-30 days	10-19 days	< 10 days				Sep-07	
2 Fry	Condition	Habitat complexity/refugia	Amount of functional high velocity refuge habitat with flows < 15 cm/sec (boulders, overhanging banks, etc.)	none; watercourse in rearing habitat is channelized	some	common	abundant		Fair		Jan-07	
3 Juvenile	Landscape Context	Dispersal	Barriers between rearing habitat and estuary	present			absent	3 dams; flood control features; intermittent flow	Poor		Sep-07	
3 Juvenile	Landscape Context	Flow during rearing period	Pool habitat > 3 feet in depth	pools scarce or absent	low abundance of pools	high abundance of pools	high abundance of pools with multiple "refuge" pools (> 5 ft deep)		Fair		Sep-07	
3 Juvenile	Landscape Context	Non-native species	Non-native juvenile predators	present throughout watershed	present > 50% watershed	present < 50% watershed	absent	many species	Poor		Oct-07	

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Conservation Target	Category	Key Attribute	Indicator	Poor	Fair	Good	Very Good	Current Indicator Status	Current Rating	Desired Rating	Date of Current Rating	Date for Desired Rating
3 Juvenile	Landscape Context	Summer flow	Percent of unimpaired median summer baseflow (based on long-term mean monthly discharge)	< 70%	70-90%	> 90%	100% over all IP-km		Fair		Sep-07	
3 Juvenile	Landscape Context	Water temperature	Median weekly average temperature (MWAT) in potential rearing habitat	> 21 C.	18-21 C.	< 18 C.	< 17 C.				May-95	
3 Juvenile	Condition	Estuarine inflows	Percentage of unimpaired freshwater inflow to estuary (necessary for maintaining brackish water < 15 ppt salinity)	< 25%	25-49%	50-75%	> 75%				Sep-07	
3 Juvenile	Condition	Estuarine inflows	Persistence of hypoxic or anoxic saline layer (> 15 ppt) in potential rearing habitat areas between May and onset of winter rains	3 months	1 month	1 week	< 3 days				Sep-96	
3 Juvenile	Condition	Food availability	Species richness	< 25 taxa	25-29 taxa	30-40 taxa	> 40 taxa				Sep-07	
3 Juvenile	Condition	Habitat complexity/refugia	Instream refugia	absent			present (boulders, overhanging banks, etc.)		Fair		Sep-07	
3 Juvenile	Condition	Riparian corridor species composition and structure	Mean percent native, undisturbed composition and structure in 100-foot riparian buffer	< 25%	25-50%	51-75%	historic conditions		Poor		Sep-07	
4 Smolt	Landscape Context	Dispersal	Number of days when depths are < 0.4 ft anywhere in migration corridor during outmigration period (March through June)	> 10 days	6-10 days	1-5 days	0 days		Poor		Sep-07	
4 Smolt	Landscape Context	Flow for downstream passage March through June	Maximum potential rate of diversion by pumping during April and May (expressed as percent of estimate unimpaired median flow in April)	> 150%	100-150%	50-99%	< 50%	intermittent stream flows	Poor		Sep-07	
4 Smolt	Landscape Context	Passage to ocean	Number of days stream mouth is open with adequate flow during outmigration period (March through June)	< 30 days	30-60 days	60-90 days	> 90 days	< 30 days	Poor		Jan-04	

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Conservation Target	Category	Key Attribute	Indicator	Poor	Fair	Good	Very Good	Current Indicator Status	Current Rating	Desired Rating	Date of Current Rating	Date for Desired Rating
5	Adult	Landscape Context	Dispersal	Accessibility of suitable spawning areas (based on TRT criteria)	accessible sites are clumped in one location or < 25% of all tributaries are accessible	25-50% of all tributaries are accessible	50-75% of all tributaries are accessible	> 75% of all tributaries are accessible	3 dams; flood control features	Poor		Sep-07
5	Adult	Landscape Context	Dispersal	Number of days stream mouth is open with adequate flow during entry period (1 November to 1 June)	< 30 days	30-60 days	60-90 days	> 90 days	< 30 days	Poor		Jan-04
5	Adult	Landscape Context	Flow during spawning period (spawning and upstream/downstream passage)	Percent of net discharge (unimpaired flow minus total diversions) occurring between 1 December to 1 June, in all water years	> 10%	6-10%	3-5%	< 3%				Jun-02
5	Adult	Landscape Context	Water temperature	Median weekly average temperature in migration corridor	> 17 C.	15-16.9 C.	13-14.9 C.	10-12.9 C.				May-96
5	Adult	Size	Population size	Mean annual adult spawner abundance		TRT criteria for low extinction risk (by watershed)						May-07
6	Multiple Life Stages	Landscape Context	Barriers/diversions	Stream crossings/stream mile	> two/mile			< two/mile	avg 0.65 crossings/mile	Good		Jan-08
6	Multiple Life Stages	Landscape Context	Channel flow and morphology	Percent of total watercourse length channelized	> 25%	16-25%	5-15%	< 5%	prob. 16-25% channelized	Fair		Jan-08
6	Multiple Life Stages	Landscape Context	Fire regime/vegetation maturity	Percent of watershed affected by high intensity fire within previous 100 yrs	> 25%	10-24%	5-9%	< 5%	11%	Fair		Jan-08
6	Multiple Life Stages	Landscape Context	Floodplain connectivity	Floodplain connectivity	< 50% of response reaches in watershed have inundation of historic floodplains by bankfull flows (connectivity)	50-65% of response reaches in watershed demonstrate floodplain connectivity	66-80% of response reaches in watershed demonstrate floodplain connectivity	> 80% of response reaches in watershed demonstrate connectivity		Fair		Sep-07

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Conservation Target	Category	Key Attribute	Indicator	Poor	Fair	Good	Very Good	Current Indicator Status	Current Rating	Desired Rating	Date of Current Rating	Date for Desired Rating	
6	Multiple Life Stages	Landscape Context	Historic vs Current Spawning Habitat	Fraction of historic spawning tributaries currently accessible to spawners	< 15% available	16-50% available	51-90% available	>90% available	3 dams; numerous flood control features; sandbar at mouth	Poor		Jan-04	
6	Multiple Life Stages	Landscape Context	Hydrology	Dry stream reaches	> 75% dry reaches	26-75% dry reaches	1-25% dry reaches	no dry reaches; perennial surface flows	main stem is intermittent	Poor		Sep-07	
6	Multiple Life Stages	Landscape Context	Hydrology	Hydrograph	severely modified			natural	3 dams; groundwater extraction	Poor		Sep-07	
6	Multiple Life Stages	Landscape Context	Land use	Distribution of public ownership along main stem of watercourse	< 25% of land bordering main stem of drainage is publicly owned	25-50%	51-75%	> 75%	39%	Fair		Jun-07	
6	Multiple Life Stages	Landscape Context	Land use	Miles of road per square mile of watershed within 100 meters of watercourse	> 1 mi	0.5-1.0 mi	0.1-0.49 mi	< 0.1 mi	avg 0.54 mi/sq mile	Fair		Jan-08	
6	Multiple Life Stages	Landscape Context	Land use	Miles of roads per square mile of watershed	> 3.0 mi	2.6-3.0 mi	1.6-2.5 mi	< 1.6 mi	avg 2.27 mi/sq mile	Good		Jan-08	
6	Multiple Life Stages	Landscape Context	Land use	Percent of watershed area in agricultural use	> 30%	20-29%	10-19%	< 10%	6-7%	Fair		Jan-08	
6	Multiple Life Stages	Landscape Context	Land use	Percent of watershed area in agriculture within 100 meters of watercourse	> 20%	11-20%	5-10%	< 5%	4.2%	Fair		Jan-08	
6	Multiple Life Stages	Landscape Context	Land use	Percent of watershed area in public ownership	< 25 % public ownership	25-50%	51-75%	> 75%	39%	Fair		Jan-08	
6	Multiple Life Stages	Landscape Context	Land use	Percent of watershed area in urban/residential use	> 25%	10-25%	5-9%	< 5%	3%	Very Good		Jan-08	
6	Multiple Life Stages	Landscape Context	Water quality	General index of toxicity based on severity of adverse effects on fish	Acute lethal effects (fish kill)	Sublethal effects (reduced growth, altered behavior, etc.)	Toxins detected but no sublethal effects	No toxins or contaminants detected	high total N and P	Fair		Jan-08	
6	Multiple Life Stages	Landscape Context	Water quality	Percent total impervious surfaces as % of watershed area	>40%	21-40%	5-20%	< 5%	0.9%	Very Good		Jan-08	
6	Multiple Life Stages	Condition	Estuarine habitat quality	Current lagoon area as percentage of historic total area	< 25%	26-50%	51-75%	> 75%	94%	Very Good		Jan-08	

Assessment of Target Viability
Santa Ynez River main stem, Santa Barbara County

Conservation Target	Category	Key Attribute	Indicator	Poor	Fair	Good	Very Good	Current Indicator Status	Current Rating	Desired Rating	Date of Current Rating	Date for Desired Rating
6	Multiple Life Stages	Condition	Estuarine habitat quality	Depth, LWD, and other habitat elements (e.g. eelgrass)	depth < 1 meter; LWD and/or overhanging banks absent		depth > 1 meter; LWD and/or overhanging banks present				Sep-96	
6	Multiple Life Stages	Condition	Riparian corridor quality	Riparian canopy cover	< 25% cover	25-49% cover	50-75% cover	> 75% cover	riparian corridor mostly in fair to poor condition	Fair		Jan-08
6	Multiple Life Stages	Condition	Riparian corridor quality	Riparian corridor species composition	< 25% native composition	25-50% native composition	50-75% native composition	> 75% native composition				Sep-07

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Summary of Threats Click the page-down icon ▼ to the right to view more summary tables.										
Santa Ynez River main stem, Santa Barbara County										
Threats Across Targets		Egg	Fry	Juvenile	Smolt	Adult	Multiple Life Stages			Overall Threat Rank
		1	2	3	4	5	6	7	8	
1	Conversion of watershed lands to row crop agriculture	Very High	High	Very High	Very High	Very High	Very High			Very High
2	Dams and surface water diversions	Very High	High	Very High	Very High	Very High	Very High			Very High
3	Groundwater extraction	Very High	High	Very High	Very High	-	Very High			Very High
4	Non-native species present (incl. hatchery fish)	Very High	Very High	Very High	-	-	Very High			Very High
5	Recreational facilities and activities (ORV use, campgrounds, etc.)	High	-	Very High	-	-	Very High			Very High
6	Mining & Quarrying	High	-	High	-	High	Very High			Very High
7	Culverts, crossings, and bridges	-	-	High	High	High	High			High
8	Agricultural effluents	High	High	High	-	-	Medium			High
9	Urban development	-	-	-	-	-	Very High			High
10	Urban wastewater effluents (incl. industrial and commercial effluents)	-	-	-	-	-	Very High			High
11	Non-point pollution from roads	High	-	-	-	-	High			High
12	Channel and/or estuary maintenance, dredging, and vegetation control (incl. flood control activities)	Medium	Medium	High	-	-	Medium			Medium
13	Invasive, non-native plants	-	-	High	-	-	Medium			Medium
14	Levees and channelization	-	-	-	-	-	High			Medium
15	Roads in watershed and/or within 300 feet of watercourses	-	-	-	-	-	High			Medium
16	Wildland fires (incl. debris flows following fires)	-	-	-	-	-	High			Medium
Threat Status for Targets and Project		Very High	-	-	Very High					

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Summary of Threats										
Santa Ynez River main stem, Santa Barbara County										
Threats Across Targets		Egg	Fry	Juvenile	Smolt	Adult	Multiple Life Stages			Overall Threat Rank
Project-specific threats		1	2	3	4	5	6	7	8	
17	Livestock Farming & Ranching	-	-	-	-	-	Medium			Low
18	Artificial lagoon breaching	-	-	-	-	-	-			-
19	Gas, water, and/or other utility pipelines	-	-	-	-	-	-			-
20	Illegal collecting, poaching, and/or unauthorized angling	-	-	-	-	-	-			-
21	Oil & Gas Drilling	-	-	-	-	-	-			-
22	Public ownership in watershed									-
23										-
24										-
25										-
26										-
27										-
28										-
29										-
30										-
31										-
32										-
Threat Status for Targets and Project		Very High	-	-	Very High					

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Stress Matrix									
Santa Ynez River main stem, Santa Barbara County									
Stresses (Altered Key Ecological Attributes) Across Targets		Egg	Fry	Juvenile	Smolt	Adult	Multiple Life Stages		
		1	2	3	4	5	6	7	8
1	Non-native predators	-	Very High	Very High	-	-	-	-	-
2	Impaired riparian habitat quality	-	-	Very High	-	-	-	-	-
3	Altered base flows during incubation	Very High	-	-	-	-	-	-	-
4	Non-native egg predators	Very High	-	-	-	-	-	-	-
5	Altered hydrograph	-	-	-	-	-	Very High	-	-
6	Impaired access to rearing and/or spawning habitat	-	-	-	-	-	Very High	-	-
7	Impaired access to spawning areas	-	-	-	-	Very High	-	-	-
8	Impaired access to ocean	-	-	-	Very High	-	-	-	-
9	Impaired access to estuary	-	-	Very High	-	-	-	-	-
10	Altered riparian habitat quality	-	-	-	-	-	High	-	-
11	Impaired habitat complexity/refugia	-	High	-	-	-	-	-	-
12	Impaired flows during rearing period	-	-	High	-	-	-	-	-
13	Impaired summer base flows	-	-	High	-	-	-	-	-
14	Altered land use from natural condition	-	-	-	-	-	High	-	-
15	Impaired substrate quality (sedimentation and embeddedness)	High	-	-	-	-	-	-	-
16	Altered fire regime/recent fire in watershed	-	-	-	-	-	High	-	-

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Stress Matrix									
Santa Ynez River main stem, Santa Barbara County									
Stresses (Altered Key Ecological Attributes) Across Targets		Egg	Fry	Juvenile	Smolt	Adult	Multiple Life Stages		
		1	2	3	4	5	6	7	8
17	Impaired instream habitat complexity/refugia	-	-	High	-	-	-	-	-
18	Impaired floodplain connectivity	-	-	-	-	-	High	-	-
19	Dispersal barriers between redds and rearing habitat	-	High	-	-	-	-	-	-
20	Impaired water quality	-	-	-	-	-	Medium	-	-
21	Impaired estuarine habitat quality	-	-	-	-	-	Low	-	-
22	Impaired water temperature in spawning areas	-	-	-	-	-	-	-	-
23	Impaired water temperatures in migration corridor	-	-	-	-	-	-	-	-
24	Impaired access to stream from ocean (stream mouth closed)	-	-	-	-	-	-	-	-
25	Altered sediment supply	-	-	-	-	-	-	-	-
26	Impaired food availability	-	-	-	-	-	-	-	-
27	Impaired estuarine inflows	-	-	-	-	-	-	-	-
28	Low adult population size	-	-	-	-	-	-	-	-
29	Impaired water temperature	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-
32		-	-	-	-	-	-	-	-

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Overall Viability Summary								
Santa Ynez River main stem, Santa Barbara County								
Conservation Targets		Landscape Context		Condition		Size		Viability Rank
		Grade	Weight	Grade	Weight	Grade	Weight	
1	Egg	Poor	1	Fair	1	-	1	Fair
2	Fry	Poor	1	Fair	1	-	1	Fair
3	Juvenile	Poor	1	Poor	1	-	1	Poor
4	Smolt	Poor	1	-	1	-	1	Poor
5	Adult	Poor	1	-	1	-	1	Poor
6	Multiple Life Stages	Poor	1	Fair	1	-	1	Fair
7		-	1	-	1	-	1	-
8		-	1	-	1	-	1	-
Project Biodiversity Health Rank								Fair

Overall Viability Summary
Santa Ynez River main stem, Santa Barbara County

Detailed Viability Summary												
Santa Ynez River main stem, Santa Barbara County												
Conservation Targets		Key Ecological Attributes				Indicators				Calculated Rank	User Override	
		Poor	Fair	Good	Very Good	Poor	Fair	Good	Very Good			
1	Egg										Fair	
	Landscape Context	2				2				Poor		
	Condition		1				2			Fair		
	Size									-		
2	Fry										Fair	
	Landscape Context	1	1			1	1			Poor		
	Condition		1				1			Fair		
	Size									-		
3	Juvenile										Poor	
	Landscape Context	2	2			2	2			Poor		
	Condition	1	1			1	1			Poor		
	Size									-		
4	Smolt										Poor	
	Landscape Context	3				3				Poor		
	Condition									-		
	Size									-		
5	Adult										Poor	
	Landscape Context	1				2				Poor		
	Condition									-		
	Size									-		
6	Multiple Life Stages										Fair	
	Landscape Context	2	4	2		3	9	2	2	Poor		
	Condition		1		1		1		1	Fair		
	Size									-		
7											-	
	Landscape Context									-		
	Condition									-		
	Size									-		
8											-	
	Landscape Context									-		
	Condition									-		
	Size									-		