
Volume I Literature Cited

- 5 Ackerman, N.K. and S. Cramer. 2006. Simulating Fall Redistribution and Overwinter Survival of Klamath River Coho – Review Draft. Technical Memorandum #2 of 8. Klamath Coho Integrated Modeling Framework Technical Memorandum Series. Submitted to the Bureau of Reclamation Klamath Basin Area Office on November 22, 2006.
- Ackerman, N.K., B. Pyper, S. Cramer, and I. Courter. 2006. Estimation of Returns of Naturally Produced Coho to the Klamath River – Review Draft Technical Memorandum #1 of 8 Klamath Coho Integrated Modeling Framework Technical Memorandum Series.
- 10 Adams, P.B., L.B. Boydstun, S.P. Gallagher, M.K. Lacy, T. McDonald, and K.E. Shaffer. 2011. California coastal salmonid population monitoring: Strategy, design, and methods. Fish Bulletin 180. State of California, The Natural Resources Agency, Department of Fish and Game. 80 p.
- 15 Agrawal, A., R. Schick, E. Bjorkstedt, R.G. Szerlong, M. Goslin, B. Spence, T. Williams, and K. Burnett. 2005. Predicting the potential for historical coho, Chinook and steelhead habitat in northern California. U. S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-379.
- 20 Allee, W.C. 1938. The Social Life of Animals. Heinemann, London.
- Allendorf, F.W., D. Bayles, D.L. Bottom, K.P. Currens, C.A. Frissell, D. Hankin, J.A. Lichatowich, W. Nehlsen, P.C. Trotter, and T.H. Williams. 1997. Prioritizing Pacific salmon stocks for conservation. *Conservation Biology* 11:140-152.
- 25 Araki, H., W.R. Ardren, E. Olsen, B. Cooper, and M.S. Blouin. 2007a. Reproductive success of captive-bred steelhead trout in the wild: evaluation of three hatchery programs in the Hood River. *Conserv. Biol.* **21**: 181–190. doi:10.1111/j.1523-1739.2006.00564.x. PMID:17298524.
- 30 Araki, H., B. Cooper, and M.S. Blouin. 2007b. Genetic effects of captive breeding cause a rapid, cumulative fitness decline in the wild. *Science (Washington, D.C.)*, 318: 100–103. doi:10.1126/ science.1145621. PMID:17916734.
- 35 Araki, H., Berejikian, B. A., Ford, M. J. and Blouin, M. S. 2008. Fitness of hatchery-reared salmonids in the wild. *Evolutionary Applications*, 1: 342–355. doi: 10.1111/j.1752-4571.2008.00026.x
- 40 Armentrout, S., H. Brown, S. Chappell, M. Everett-Brown, J. Fites, J. Forbes, M. McFarland, J. Riley, K. Roby, A. Villalovos, R. Walden, D. Watts, and M.R. Williams. 1998. Watershed Analysis for Mill, Deer, and Antelope Creeks. U.S. Department of Agriculture. Lassen National Forest. Almanor Ranger District. Chester, CA. 299 pp.

- Au, D.W.K. 1972. Population dynamics of the coho salmon and its response to logging in three coastal streams. Doctoral dissertation. Oregon State University, Corvallis.
- 5 Barnett, T. P., D. W. Pierce, K. M. AchutaRao, P. J. Gleckler, B. D. Santer, J. M. Gregory, and W. M. Washington. 2005. Penetration of human-induced warming into the world's oceans. *Science* 309:284-287.
- 10 Barrowman, N.J., R.A. Myers, R. Hilborn, D.G. Kehler, and C.A. Field. 2003. The variability among populations of coho salmon in the maximum reproductive rate and depensation. *Ecological Applications* 13(3): 784-793.
- Bartholow, J.M. 2005. Recent water temperature trends in the Lower Klamath River, CA. *N. American Journal of Fisheries Management*. 25:152-162.
- 15 Bartholomew J.L. 2008. *Ceratomyxa shasta* 2007 Study summary, Oregon State University Final Report to Bureau of Reclamation
<http://www.fws.gov/arcata/fisheries/projectupdates.html>
- 20 Bartholomew, J. L., Atkinson, S. D. and Hallett, S. L. 2006. Involvement of *Manayunkia speciosa* (Annelida: Polychaeta: Sabellidae) in the life cycle of *Parvicapsula minibicornis*, a myxozoan parasite of Pacific salmon. *Journal of Parasitology*. 92:742-748
- 25 Bartholomew, J.L., H.V. Lorz, S.A. Sollid and D.G. Stevens. 2003. Susceptibility of juvenile and yearling bull trout to *Myxobolus cerebralis*, and effects of sustained parasite challenges. *Journal of Aquatic Animal Health*.15:248-255.
- 30 Bartley, D.M., B. Bentley, P.G. Olin, and G.A.E. Gall. 1992. Population genetic structure of coho salmon (*Oncorhynchus kisutch*). *Calif. Fish. Game* 78:88–104.
- Bash, J., C. Berman, and S. Bolton. 2001. Effects of turbidity and suspended solids on salmonids. Center for Streamside Studies, University of Washington. 74 pages.
- 35 Bates, B.C., Z.W. Kundzewicz, S. Wu and J.P. Palutikof, Eds., 2008: Climate Change and Water. Technical Paper of the Intergovernmental Panel on Climate Change, IPCC Secretariat, Geneva, 210 pp.
- 40 Battin, T.J., W.T. Sloan, S. Kjelleberg, H. Daims, I.M. Head, T. Curtis *et al.* 2007. Microbial landscapes: new paths to biofilm research. *Nat Rev Microbiol* 5: 76–81
- Beacham, T.D. 1982. Fecundity of coho salmon (*Oncorhynchus kisutch*) and chum salmon (*O. keta*) in the northeast Pacific Ocean. *Can. J. Zool.* 60:1463- 1469.

- Beamish, R.J., C. Neville, and A.J. Cass. 1997a. Production of Fraser River sockeye salmon (*Oncorhynchus nerku*) in relation to decadal-scale changes in the climate and the ocean. *Canadian Journal of Fisheries and Aquatic Sciences*, 54: 543-554.
- 5 Beamish R.J., C. Mahnken, and C.M. Neville. 1997b. Hatchery and wild production of Pacific salmon in relation to large-scale, natural shifts in the productivity of the marine environment. *ICES J Mar Sci* 54:1200–1215.
- 10 Beamish R.J., D.J. Noakes, G.A. McFarlane, L. Klyashtorin, V.V. Ivanov, and V. Kurashov. 1999. The regime concept and natural trends in the production of Pacific salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 56:516-526
- 15 Beamish, R. J., D. J. Noakes, G. A. McFarlane, W. Pinnix, R. Sweeting, and J. King. 2000. Trends in coho marine survival in relation to the regime concept. *Fisheries Oceanography* 9:114-119.
- Beamish, R.J. and C. Mahnken. 2001. A critical size and period hypothesis to explain natural regulation of salmon abundance and the linkage to climate and climate change, *Progress in Oceanography* 49 pp. 423–437.
- 20 Beechie, T.J., E.A. Steel, P. Roni, and E. Quimby (editors). 2003. Ecosystem recovery planning for listed salmon: an integrated assessment approach for salmon habitat. U.S. Department of Commerce, NOAA Technical memorandum. NMFS-NWFSC-58. 183p.
- Bell, E. and W.G. Duffy. 2007. Previously undocumented two-year freshwater residency of juvenile coho salmon in Prairie Creek, California. *Transactions of the American Fisheries Society* 136: 966-970.
- 25 Bellows, B.C. 2003. Managed Grazing in Riparian Areas. Appropriate technology Transfer for Rural Areas (ATTRA). 28 Pp
- 30 Belsky, A. J., A. Matzke, and S. Uselman. 1999. Survey of livestock influences on stream and riparian ecosystems in the western United States. *Journal of Soil and Water Conservation* 54(1): 419-431.
- 35 Benson, K. 2010. Personal communication. Biologist. Redwood National and State Parks.
- Berejikian, B. A. 1995. The effects of hatchery and wild ancestry and experience on the relative ability of steelhead trout fry (*Oncorhynchus mykiss*) to avoid a benthic predator. *Canadian Journal of Fisheries and Aquatic Sciences* 52: 2476-2482.
- 40 Berejikian, B.A., Mathews, S.B., and Quinn, T.P. 1996. The Effects of hatchery and wild ancestry on the development of agonistic behavior in steelhead trout fry (*Oncorhynchus mykiss*). *Can. J. Fish. Aquat. Sci.* 53: 2004–2014.
- 45 Berg, L. 1982. The effect of exposure to short-term pulses of suspended sediment on the behavior of juvenile salmonids. P. 177-196 in G.F. Hartman et al. [eds.] *Proceedings of*

- the Carnation Creek workshop: a ten-year review. Department of Fisheries and Oceans, Pacific Biological Station, Nanaimo, Canada.
- 5 Berg, L. and T.G. Northcote. 1985. Changes in territorial, gill- flaring, and feeding behaviour in juvenile coho salmon (*Oncorhynchus kisutch*) following short-term pulses of suspended sediment. *Canadian Journal of Fisheries and Aquatic Sciences* 42: 1410-1417.
- 10 Bilton, H.T., R.B. Morley, A.S. Colburn, and J. Van Tyne. 1984. The influence of time and size and release of juvenile coho salmon (*Oncorhynchus kisutch*) on returns at maturity and results from releases from Quinsam River hatchery, B.C., in 1980. *Can. Technical Report of Fisheries and Aquatic Sci.*1306:1-98.
- Birtwell, I.K. 1999. The effects of sediment on fish and their habitat. *Canadian Stock Assessment Secretariat Research Document 99/139*, West Vancouver, British Columbia.
- 15 Bisson, P.A. and R.E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American Journal of Fisheries Management* 4: 371-374.
- 20 Bisson, P.A., Reeves, G.H., Bilby, R.E., Naiman, R.J. 1997. Watershed management and Pacific salmon: desired future conditions. In: Stouder, D.J., Bisson, P.A., Naiman, R.J. (Eds.), *Pacific Salmon and their Ecosystems: Status and Future Options*. Chapman & Hall, New York, pp. 447– 474.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. In: Meehan, W.R. *Influences of forest and rangeland management of salmonid fishes and their habitats*. Bethesda, MD: American Fisheries Society: 83-138.
- 25 Blanchard, T. 2002. Draft 2002 technical report AQU 16: Summary of information available to assess potential aquatic species interactions in the Lewis River Basin. PacifiCorp/Cowlitz PUD LewisRiver Hydroelectric Projects. FERC Project Nos. 935, 2071, 2111, and 2213.
- 30 Blanchet S., G. Loot, L. Bernatchez, and J.J. Dodson. 2007. The disruption of dominance hierarchies by a non-native species: an individual based analysis. *Oecologia* 152:569–581
- Bliesner, A., D. Halligan, M. Miles, and K. Sullivan. 2006. Bear River watershed analysis. Fish habitat assessment. Appendix E. HCP Signatory Review Team Draft. June 21.106p.
- 35 Booth, D.B and C.R. Jackson. 1997. Urbanization of Aquatic Systems--Degradation Thresholds, Stormwater Detention, and the Limits of Mitigation. *Journal of the Amer. Water Res. Assoc.* Vol. 22, No. 5. 20 p.
- 40 Booth, D.B., B. Visitacion and A.C. Steinemann. 2006. Damages and Costs of Stormwater Runoff in the Puget Sound Region. Project sponsored by the Puget Sound Action Team and the WA Governor's Office. The Water Center, Department of Civil and Environmental Engineering, University of Washington, Seattle, WA. 42 p.

- Botkin, D.B., K. Cummins, T. Dunne, H. Regier, M. J. Sobel, and L. M. Talbot. 1995. Status and Future of Anadromous Fish of Western Oregon and Northern California: Findings and Options, Center for the Study of the Environment, Santa Barbara, CA.
- 5 Bottom, D.L., T.E. Nickelson, and Johnson, S.L. 1986. Research and development of Oregon's coastal salmon stocks. Oregon Department of Fish and Wildlife, Fishery Research Project NA-85-ABD-00111. Annual Progress Report, Portland, OR.
- 10 Bowen, J.L., and I. Valiela. 2001. The ecological effects of urbanization of coastal watersheds: Historical increases in nitrogen loads and eutrophication of Waquoit Bay estuaries. *Can. J. Fish Aquat. Sci.* 58:1489-1500.
- Boydston, L.B. and T. McDonald (Editors). 2005. Actions plan for monitoring California's coastal salmonids. Report for NOAA Fisheries Santa Cruz Laboratory, Contract number WASC-3-1295. 68 pp plus appendices.
- 15 Bradford, M. J. 1995. Comparative review of Pacific salmon survival rates. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1327-1338.
- Briggs, J. C. 1953. The behavior and reproduction of salmonid fishes in a coastal stream. *Fish Bulletin* 94. California Department of Fish and Game.
- 20 Brodeur, R.D., J.P. Fisher, D.J. Teel, R.L. Emmett, E. Casillas, and T.W. Miller. 2004. Juvenile salmonid distribution, growth, condition, origin, and environmental and species associations in the Northern California Current. *Fisheries Bulletin* 102: 25-46.
- 25 Brown, J.S. 1999. Vigilance, patch use and habitat selection: Foraging under predation risk. *Evol. Ecol. Res.* 1:49-71.
- Brown, A.V., M.M. Lyttle, and K.B. Brown. 1998. Impacts of Gravel Mining on Gravel Bed Streams. *Trans. of the Amer. Fish. Soc.* 127:6, 981-996.
- 30 Brown, L.R. and P.B. Moyle. 1991. Eel River survey: final report. Report to Calif. Dept. of Fish and Game, Contract: F-46-R-2.
- Brown, L.R., and P.B. Moyle. 1994. Distribution, ecology, and status of the fishes of the San Joaquin River drainage, California. *Calif. Fish Game*, 79: 96-114.
- 35 Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. *North American Journal of Fisheries Management* 14(2):237-261.
- 40 Brown, R.F. and B.R. Mate. 1983. Abundance, movements and feeding habits of harbor seals (*Phoca vitulina*) at Netarts and Tillamook bays, Oregon. *NOAA Fishery Bulletin* 81(2): 291-301.

- Buffington JM, Lisle TE, Woodsmith RD, Hilton S. 2002. Controls on the size and occurrence of pools in coarse - grained forest rivers. *River Research and Applications* 18:507-531.
- 5 Bugert R.M. and T.C. Bjornn. 1991. Habitat Use by Steelhead and Coho Salmon and Their Responses to Predators and Cover in Laboratory Streams, *Trans. Amer. Fish. Soc.* 120: 486-493.
- 10 Burnett, K., G. Reeves, D. Miller, S. Clarke, K. Christiansen, and K. Vance-Borland. 2003. A first step toward broad-scale identification of freshwater protected areas for Pacific salmon and trout in Oregon, USA. Pages 144-154 in J. P. Beumer, A. Grant, and D. C. Smith, editors. *Aquatic protected areas: what works best and how do we know?* Proceedings of the World Congress on Aquatic Protected Areas, Cairns, Australia, August 2002.
- 15 CalFish. 2009. California Fish Passage Assessment Database (CFPAD). State-wide inventory of known and potential barriers to fish passage. Accessed 9/30/2009 from:<http://www.calfish.org/ProgramsandProjects/FishPassageAssessment/tabid/97/Default.aspxNMFS-NWFSC-27>, 261 p
- 20 California Advisory Committee on Salmon and Steelhead Trout. 1988. Restoring the balance. 1988 Annual Report. A report to the Legislature and the Department of Fish and Game. 84 pp.
- California Department of Fish and Game (CDFG). 1994. Petition to the Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. Redding, CA. 109p.
- 25 California Department of Fish and Game (CDFG). 1997. A Biological Needs Assessment for Anadromous Fish in the Shasta River Siskiyou County, California. Northern California-North Coast Region. Redding, CA. 29p.
- 30 California Department of Fish and Game (CDFG). 2002a. Status review of California coho salmon north of San Francisco. Report to the California Fish and Game Commission. Candidate Species Status Review Report 2002-3.
- California Department of Fish and Game (CDFG). 2002b. Department of Fish and Game Annual Report: Shasta and Shasta River Juvenile Salmonid Outmigration Study, 2003. Northern California, North Coast Region.
- 35 [California Department of Fish and Game \(CDFG\). 2003.](#) September 2002 Klamath River Fish Kill: Preliminary analysis of contributing factors [700 Kb] At KRIS Web site.
- 40 California Department of Fish and Game (CDFG). 2004. Recovery strategy for California coho salmon. Report to the California Fish and Game Commission. 594pp. Copies/CD available upon request from California Department of Fish and Game, Native Anadromous Fish and Watershed Branch, 1419 9th Street, Sacramento, CA 95814, or on-line: http://www.dfg.ca.gov/fish/Resources/Coho/SAL_CohoRecoveryRpt.asp

- California Department of Fish and Game (CDFG). 2011. Freshwater Sport Fishing Regulations. Effective March 1, 2011 through February 29, 2012. 75 p.
- 5 California Department of Fish and Game (CDFG) and National Marine Fisheries Service (NMFS). 2001. Joint Hatchery Review Committee final report on anadromous salmonid fish hatcheries in California. 93 p.
- California Division of Water Rights (CDWR). 1999. *A Guide to Water Transfers*. State of California.
- 10 California Division of Water Rights (CDWR). 2001. *A Guide to California Water Right Appropriations*. State of California.
- California Environmental Protection Agency (CEPA). 2011. State Water Resources Control Board, Division of Water Rights, Website. <http://www.waterboards.ca.gov/waterrights/>
- 15 California State Lands Commission (CSLC). 1993. California's rivers-A public trust report. Second Edition. CSLC, Sacramento, California.
- Campton, D. E. 1995. Genetic effects of hatchery fish on wild populations of Pacific salmon and steelhead: What do we really know? Pp. 337–353 in H. L. Schramm Jr. and R. G. Piper (Eds.), American Fisheries Society, Bethesda, MD.
- 20 Cannata, S., R. Henly, J. Erler, J. Falls, D. McGuire and J. Sunahara. 2006. Redwood Creek watershed assessment report. Coastal Watershed Planning and Assessment Program and North Coast Watershed Assessment Program. California Resources Agency and California Environmental Protection Agency, Sacramento, California.
- 25 Carrasco, K. 2000. Coho pre-spawn mortalities in a flooded reed canarygrass habitat. Reed Canarygrass Working Group Conference, Washington State Department of Transportation, USDA Natural Resources Conservation Service, and Society for Ecological Restoration – Northwest Chapter, March 15, 2000, Olympia, Washington.
- 30 Carter, K. 2005. The effects of dissolved oxygen on steelhead trout, coho salmon, and Chinook salmon biology and function by life stage. Prepared as staff to the California Regional Water Quality Control Board, North Coast Region.
- 35 Caughley, G. 1994. Directions in conservation biology. *Journal of Animal Ecology* 63(2): 215-244.
- 40 Cederholm, C.J., L.M. Reid, and E.O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations of the Clearwater River, Jefferson County, Washington. Pages 38-74 in *Proceedings of Conference on Salmon Spawning Gravel: A Renewable Resource in the Pacific Northwest?* Report 19. Wash. State University, Water Research Center, Pullman, WA.
- Cederholm, C.J., R.E. Bilby, P.A. Bisson, T.W. Bumstead, B.R. Fransen, W.J. Scarlett and J.W. Ward. 1997. Response of Juvenile Coho Salmon and Steelhead to Placement of Large

- Woody Debris in a Coastal Washington Stream. *North American Journal of Fisheries Management*. 17:947-963.
- 5 Chamberlin, T.W., R.D. Harr, F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. In: W.R. Meehan (ed.), "Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats." American Fisheries Society, Special Publication Number 19. Bethesda, Maryland.
- 10 Chapman, D. W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. *Journal of the Fisheries Research Board of Canada* 19: 1047-1080.
- 15 Chapman, D. W., and E. Knudsen. 1980. Channelization and livestock impacts on salmonid habitat and biomass in western Washington. *Transactions of the American Fisheries Society* 109:357-363.
- 20 Chapman, D. W., J. F. Corliss, R. W. Phillips, and R. L. Demory. 1961. Summary report, Alsea watershed study. Oregon State University, Agriculture Experimental Station, Miscellaneous Paper 110, Corvallis.
- 25 Chesney, W. R., C.C. Adams, W. B. Crombie, H. D. Langendorf, S.A. Stenhouse and K. M. Kirkby. 2009. Shasta River Juvenile Coho Habitat & Migration Study. Report prepared for U. S. Bureau of Reclamation, Klamath Area Office. Funded by U.S. Bureau of Reclamation, National Oceanic and Atmospheric Administration and California Department of Fish and Game. California Department of Fish and Game, Yreka, California. Accessed 12/13/2011 from: <http://www.klamathriver.org/Documents/CDFG-Juvenile-Coho-2009.pdf>
- 30 Chesney, D. and M. Knechtle. 2010. Shasta River Chinook and coho salmon observations in 2009-2010. California Department of Fish and Game. Siskiyou County, California.
- 35 Chesney, D. and M. Knechtle. 2011a. Recovery of fall-run Chinook and coho salmon at Iron Gate Hatchery, September 24, 2010 to December 15, 2010. California Department of Fish and Game, Klamath River Project, Yreka, CA. 20 p.
- 40 Chesney, D. and M. Knechtle. 2011b. Shasta River Chinook and coho salmon observations in 2010-2011, Siskiyou County, CA. California Department of Fish and Game, Klamath River Project, Yreka, CA. 30 p.
- 45 Chilcote, M.W. 1999. Conservation status of Lower Columbia River coho salmon. Oregon Department of Fish and Wildlife Information Report Number 99-3. 45 p.
- Chilcote, M.W. 2003. Relationship between natural productivity and the frequency of wild fish in mixed spawning populations of wild and hatchery steelhead (*Oncorhynchus mykiss*). *Canadian Journal of Fisheries and Aquatic Sciences* 60:1057-1067. 2001–2003.

- Chilcote, M.W., K.W. Goodson, and M.R. Falcy. 2010. Reduced recruitment performance in natural populations of anadromous salmonids associated with hatchery-reared fish. *Can. J. Fish. Aquat. Sci.* 68: 511-522.
- 5 Clark, C.W. (1985) *Bioeconomic Modelling and Fisheries Management*. John Wiley & Sons, New York, NY.
- Cohen, R. 1997. *Fact Sheets: Functions and Values of Riparian Areas*. Massachusetts Department of Fisheries, Wildlife and Environmental Law Enforcement. www.state.ma.us/dfwele/river/rivfstoc.htm
- 10 coldocs/2003/09/Landscape_Practitioners_Handbook_July03_-
- Cole, J. 2000. Coastal sea surface temperature and coho salmon production off the north-west United States. *Fish. Oceanogr.* 9: 1–16.
- 15 Cone, J., and S. Ridlington, editors. 1996. *The Northwest Salmon Crisis: A Documented History*. Oregon State University Press, Corvallis, Oregon, 374 pp.
- Cordone, A.J. and D.W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. Reprint from *California Fish and Game*. Vol. 47, No. 2. California Department of Fish and Game, Inland Fisheries Branch. Sacramento, CA. 41 pp.
- 20 Cornwell, T.J., Bottom, D.L., and Jones, K.K. 2001. Rearing of juvenile salmon in recovering wetlands of the Salmon River Estuary. Information Reports 2001-05. Oregon Department of Fish and Wildlife, Portland, Oregon.
- Cover, M.R., C.C. May, W.E. Dietrich, and V.H. Resh. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of the North American Benthological Society* 27, 135–149.
- 25 Crawford, B.A. and S. Rumsey. 2011. *Guidance for monitoring recovery of salmon and steelhead listed under the federal Endangered Species Act (Idaho, Oregon, and Washington)*. Northwest Region, NOAA Fisheries Service. 125 p.
- 30 Crisp T.M., E.D. Clegg, R.L. Cooper, W.P. Wood, D.G. Anderson, and K.P. Baetcke. 1998. Environmental endocrine disruption: an effect assessment and analysis. *Environ Health Perspect.* 1998;106:11–56.
- 35 Crone, R. A., and C. E. Bond. 1976. Life history of coho salmon, *Oncorhynchus kisutch*, in Sashin Creek, southeastern Alaska. *U.S. Fisheries Bulletin* 74:897-923.
- 40 Dawley, E. M., R. D. Ledgerwood, T. H. Blahm, C. W. Sims, J. T. Durkin, R. A. Kirn, A. E. Rankis, G. E. Monan, and F. J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report to Bonneville Power Administration, 256 p. Available Bonneville Power Administration, P.O. Box 351, Portland, OR 97208

- Davis, G. E., J. Foster, C. E. Warren, and P. Doudoroff. 1963. The influence of oxygen concentration on the swimming performance of juvenile Pacific salmon at various temperatures. *Transactions of the American Fisheries Society* 92: 111-124.
- 5 DeWald, L., and M. A. Wilzbach. 1992. Interactions between native brook trout and hatchery brown trout: effects on habitat use, feeding, and growth. *Transactions of the American Fisheries Society* 121(3):287-296.
- Dietrich, W. E., and F. K. Ligon. 2009. RIPPLE: a digital terrain-based model for linking salmon population dynamics to channel networks. Prepared by UC Berkeley and Stillwater
10 Sciences, Berkeley, California.
- Driscoll, J. 2009. Miners Blast back at Karuk Tribe. *Times Standard Newspaper*. March 4, 2009.
- Dunham, J. B. M. K. Young, R. E. Gresswell, B. E. Riemana. 2003. The effect of wildland fire on aquatic ecosystems in the western USA. *Forest Ecology and Management* 178: 183-
15 196.
- Dutra, B.L. and S.A. Thomas. 1999. 1998-99 Chinook and coho spawning report. Lower Trinity Ranger District, Six Rivers National Forest, Willow Creek, California. April 1999. Online at: http://www.krisweb.com/biblio/trinity_usdafs_dutraetal_1999.pdf
- Dwire, K.A. and J.B. Kauffman. 2003. Fire and riparian ecosystems in landscapes of the western
20 USA. *Forest Ecology and Management* 178: 61-74.
- Eames, M., T. Quinn, K. Reidinger, and D. Haring. 1981. Northern Puget Sound 1976 adult coho and chum tagging studies. *Wash. Dep. Fish. Tech. Rep.* 64, 136 p
- 25 Elder, D., B. Olson, A. Olson, J. Villeponteaux, and P. Brucker. 2002. *Salmon River Subbasin Restoration Strategy: Steps to Recovery and Conservation of Aquatic Resources*. Report prepared for the Klamath River Basin Fisheries Restoration Task Force and U.S. Fish and Wildlife Service, Yreka, California. 53 pp.
- 30 Elliott, J.M. 1981. Some aspects of thermal stress on freshwater teleosts. Pages 209-245 *In* A. D. Pickering editor, *Stress and Fish*. Academic Press, London.
- Engen, S., R. Lande, and B. E. Saether. 2003. Demographic stochasticity and Allee effects in
35 populations with two sexes. *Ecology* 84: 2378-2386.
- Ewers, R. M. and R. K. Didham. 2005. Confounding factors in the detection of species response to habitat fragmentation. *Biological Reviews* 81: 117-142.
- Fagan, W. F. and E. E. Holmes. 2006. Quantifying the extinction vortex. *Ecology Letters* 9:
40 51-60.
- Federal Energy Regulatory Commission (FERC). 2007. Final Environmental Impact Statement for Relicensing of the Klamath Hydroelectric Project No. 2082-027. November 16.

- Five Counties Salmonid Conservation Program. 2010. Water Quality and Stream Habitat protection manuals for County Road Maintenance in Northwestern California Watersheds. Prepared for the Five Counties Salmon Conservation Program Available at: <http://www.5counties.org/docs.htm>
- 5
- Flagg, T.A., B.A. Berejikia, J.E. Colt, W.W. Dickhoff, L.W. Harrell, et al., eds. 2000. Ecological and behavioral impacts of artificial production strategies on the abundance of wild salmon populations—a review of practices in the Pacific Northwest. NOAA Tech. Memo. NMFS-NWFSC-4, Northwest Fish. Sci. Cent., Seattle, WA
- 10
- Flaherty, C.M. and Dodson, S.I. 2005. Effects of pharmaceuticals on *Daphnia* survival, growth, and reproduction: *Chemosphere*, v. 61, p. 200-207.
- Fleming, I. A. 1994. Captive breeding and the conservation of wild salmon populations. *Conservation Biology* 8:886–888.
- 15
- Fleming I.A., and M.R. Gross. 1989. Evolution of adult female life history and morphology in a Pacific Salmon (Coho: *Oncorhynchus kisutch*). *Evolution*. 43: 141–157.
- 20
- Fleming, I. A., and M. R. Gross. 1990. Latitudinal clines: a trade-off between egg number and size in Pacific salmon. *Ecology* 71: 1-11.
- Fleming, I.A. and Gross, M.R. 1994. Breeding competition in a Pacific salmon (Coho: *Oncorhynchus kisutch*): Measures of natural and sexual selection. *Evolution* 48: 637-657.
- 25
- Fleming, I. A., and Petersson, E. 2001. The ability of released, hatchery salmonids to breed and contribute to the natural productivity of wild populations. *Nordic Journal of Freshwater Research*, 75: 71e98.
- 30
- Fleming, I. A., B. Jonsson, M. R. Gross, and A. Lamberg. 1996. An experimental study of the reproductive behavior and success of farmed and wild Atlantic Salmon (*Salmo salar*). *Journal of Applied Ecology* 33:893-905.
- 35
- Foott, S. 1995. Preliminary results of Spring 1995 Klamath R. chinook smolt study (95-FP-01), Iron Gate Hatchery June release group. U.S. Fish and Wildlife Service California-Nevada Fish Health Center, Anderson, CA. 6 p. (67 Kb)
- 40
- Foott, J.S, G. Stutzer, R. Fogerty, H.C. Hansel, S.D. Juhnke, and J.W. Beeman. 2010. Pilot study to assess the role of *Ceratomyxa shasta* infection in mortality of fall-run Chinook smolts migration through the lower Klamath River in 2008. US Fish and Wildlife Service-US Geological Survey Technical report, US Fish and Wildlife Service, CA-NV Fish Health Center, Anderson, CA.
- 45
- Ford, M. J. 2002. Applications of selective neutrality tests to molecular ecology. *Molecular Ecology*, 11:1245-1262.

- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest Ecosystem Management: an ecological, economic and social assessment. Report of the Forest Ecosystem Management Assessment Team. 1993-793-071. U.S. Govt. Printing Office.
- 5 Foster, S.C., C.H. Stein, and K.K. Jones. 2001. A guide to interpreting stream survey reports. Oregon Department of Fish and Wildlife, Aquatic Inventories Project, Portland, OR. 55 p.
- 10 Fowler, C. W. and Baker, J. D. 1991. A review of animal population dynamics at extremely reduced population levels. – Rept. Int. Whaling Comm. 41: 545–554.
- Frankham, R. 2005. Genetics and Extinction. *Biological Conservation* 126: 131–140.
- 15 Fraser, F. J., E. A. Perry, and D. T. Lightly. 1983. Big Qualicum River salmon development project. Volume 1: a biological assessment 1959-1972. Canadian Technical Report of Fisheries and Aquatic Sciences 1189. Department of Fisheries and Oceans, Fisheries Research Branch, Pacific Biological Station, Nanaimo, British Columbia.
- 20 Fresh, K.L. 1997. The role of competition and predation in the decline of Pacific salmon and steelhead. In *Pacific salmon and their ecosystems: status and future options*. Edited by D.J. Stouder, P.A. Bisson, and R.J. Naiman. Chapman Hall, New York. pp. 245–275.
- Fried, J.S, M.S. Torn, and E. Mills. 2004. The impact of climate change on wildfire severity: A regional forecast for Northern California. *Climate Change* 64:169–191
- 25 Frissell, C.A. 1992. Cumulative effects of land use on salmonid habitat on southwest Oregon streams. Ph.D. thesis, Oregon State University, Corvallis, OR.
- 30 Galbraith, H.; Jones, R.; Park, R.; Clough, J.; Herrod-Julius, S.; Harrington, B.; Page, G. 2005. Global climate change and sea level rise: potential losses of intertidal habitat for shorebirds. In: Ralph, C. John; Rich, Terrell D., editors 2005. *Bird Conservation Implementation and Integration in the Americas: Proceedings of the Third International Partners in Flight Conference*. 2002 March 20-24; Asilomar, California, Volume 2 Gen. Tech. Rep. PSW-GTR-191. Albany, CA: U.S. Dept. of Agriculture, Forest Service, Pacific Southwest Research Station: p. 1119-1122.
- Gallagher, S.P., P.B. Adams, D.W. Wright, and B.W. Collins. 2010a. Performance of spawner survey techniques at low abundance levels. *N. Am. J. Fish. Manage.* 30: 1086-1097
- 35 Gallagher, S.P., D.W. Wright, B.W. Collins, and P.B. Adams. 2010b. A Regional Approach for Monitoring Salmonid Status and Trends: Results from a Pilot Study in Coastal Mendocino County, California. *North American Journal of Fisheries Management*. 30, 1075-1085.

- Gilbert, C.H. 1912. Age at maturity of the Pacific coast salmon of the genus *Oncorhynchus*. Fish Bull., U.S. 32:3-22.
- 5 Godfrey, H. 1965. Coho salmon in offshore waters, p. 1-39. *In*: Salmon of the North Pacific Ocean. Part IX. Coho, chinook and masu salmon in offshore waters. International North Pacific Fisheries Commission Bulletin 16.
- Gleick, P. H., 1987. The Development and Testing of a Water Balance Model for Climate Impact Assessment: Modeling the Sacramento Basin. Water Resources Research 23:1049-1061.
- 10 Goldman, C.R. and A.J. Horne. 1983. Limnology. McGraw-Hill, Inc. New York. 464 pp.
- Goley, D. and A. Gemmer. 2000. Pinniped/salmonid interactions on the Smith, Mad and Eel rivers in northern California between 31 August and 15 December 1999. Unpublished report, Humboldt State University Marine Mammal Education and Research Program, Arcata, California.
- 15 Good, T.P., R.S. Waples, and P. Adams (editors). 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-66, 598 p.
- 20 Grant, W.S. (Ed.) 1997. Genetic effects of straying of non-native hatchery fish into natural populations: Proceedings of the workshop. U.S. Dept. of Commerce, NOAA Tech. Memo., NMFS-NWFSC-30, 130 p.
- 25 Grant, G.E., 2010. Effects of forest practices on peak flows and consequent channel response: a state-of-science report for western Oregon and Washington. DIANE Publishing.
- 30 Graybill, M.R. 1981. Haul-out patterns and diet of harbor seals, *Phoca vitulina*, in Coos County, Oregon. M.S. thesis. University of Oregon.
- Greig, S.M., D.A. Sear, and P.A. Carling. 2005. The impact of fine sediment accumulation on the survival of incubating salmon progeny: Implications for sediment management. Science of The Total Environment 344, 241-258.
- 35 Green Diamond Resource Company (GDRC). 2006. Aquatic habitat conservation plan and candidate conservation agreement with assurances. Final. Volume 1-2 plus appendices. Prepared for National Marine Fisheries Service and U.S. Fish and Wildlife Service, October 2006. 568 p.
- 40 Green Diamond Resource Company (GDRC). 2009. Unpublished data obtained from Darold Perry. Large Woody Debris, Temperature, and Out Migrant Trapping Survey Data.
- Gresswell, R.E. 1999. Fire and Aquatic Ecosystems in Forested Biomes of North America Trans. of the Amer. Fish. Soc. 128(2): 193-221.

- Griffith, J. S., Jr. 1972. Comparative behavior and habitat utilization of brook trout (*Salvelinus fontinalis*) and cutthroat trout (*Salmo clarki*) in small streams in northern Idaho. *Journal of the Fisheries Research Board of Canada* 29:265-273.
- 5 Griffith, J.S., and D.A. Andrews. 1981. Effects of a small suction dredge on fishes and aquatic invertebrates in Idaho streams. *North American Journal of Fisheries Management* 1:21-28.
- 10 Guillen, G. 2003. Klamath River fish die-off, September 2002: Report on estimate of mortality. Report number AFWO-01-03 . U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office. Arcata, CA. 35 pp.
- 15 Gustafson, R.G., R.S. Waples, J.M. Myers, L.A. Weitkamp, G.J. Bryant, O.W. Johnson, and J.J. Hard. 2007. Pacific salmon extinctions: quantifying lost and remaining diversity. *Conservation Biology* 21(4):1009-1020.
- Gwynne, B. 1993. North Investigation of Water Quality Conditions in the Shasta River, Siskiyou County. Interim Report. NCRWQCB, Santa Rosa, CA.
- 20 Hanson, L.C. 1993. The foraging ecology of harbor seals, *Phoca vitulina*, and California sea lions, *Zalophus californianus*, at the mouth of the Russian River, California. Master's thesis, Sonoma State University, California.
- 25 Hard, J.J., B.A. Berejikian, E.P. Tezak, S.L. Schroder, C.M. Knudsen, and L.T. Parker. 2000. Evidence for morphometric differentiation of wild and a captive reared adult coho salmon: a geometric analysis. *Environ. Biol. Fishes*, 58: 61–73.
- 30 Hare, S.R. and R.C. Francis. 1995. Climate change and salmon production in the northeast Pacific Ocean. In: R.J. Beamish, Editor, *Climate Change and Northern Fish Populations* (1995), pp. 357–372 Canadian Special Publication of Fisheries and Aquatic Sciences, 121.
- 35 Harris, R.R., C.M. Olson, S.D. Kocher, J.M. Gerstein, W. Stockard and W.E. Weaver. 2005. Procedures for Monitoring the Implementation and Effectiveness of Fisheries Habitat Restoration Projects. Center for Forestry, University of California, Berkeley. 24pp.
- 40 Hartman, G.F., B.C. Anderson, and J.C. Scrivener. 1982. Seaward movement of coho salmon (*Oncorhynchus kisutch*) fry in Carnation Creek, an unstable coastal stream in British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 39:588–597.
- Hartman, G.F. 1965. The role of behavior in the ecology and interaction of underyearling coho salmon (*Oncorhynchus kisutch*) and Steelhead trout (*Salmo gairdneri*). *J. Fish Res. Board Can* 22:1035-1081.
- 45 Harvey, B.C. and T.E. Lisle. 1999. Scour of Chinook Salmon Redds on Suction Dredge Tailings. *North American Journal of Fisheries Management* 19:613-617.

- 5 Hatchery Scientific Review Group (HSRG)–Lars Mobrand (chair), John Barr, Lee Blankenship, Don Campton, Trevor Evelyn, Tom Flagg, Conrad Mahnken, Robert Piper, Paul Seidel, Lisa Seeb and Bill Smoker. 2004. *Hatchery Reform: Principles and Recommendations of the HSRG*. Long Live the Kings, 1305 Fourth Avenue, Suite 810, Seattle, WA 98101 (available from www.hatcheryreform.org).
- Hearn, W. E. 1987. Interspecific competition and habitat segregation among stream dwelling trout and salmon: A review. *Fisheries* 12:24–31.
- 10 Hemmer, H. 1990. *Domestication: The decline of environmental appreciation*. Cambridge University Press, Cambridge, MA.
- Herrmann, R.B., Warren, C.E., Doudoroff, P., 1962. Influence of oxygen concentration on the growth of juvenile coho salmon. *Transactions of the American Fisheries Society* 91, 155–
15 167.
- Hindar, K., N. Ryman, and F. Utter. 1991. Genetic effects of cultured fish on natural fish populations. *Canadian Journal of Fisheries and Aquatic Sciences* 48:945–957.
- 20 Hjort, R.C., and C.B. Schreck. 1982. Phenotypic differences among stocks of hatchery and wild coho salmon, *Oncorhynchus kisutch*, in Oregon, Washington, and California. *Fish. Bull.*, U.S. 80:105-119.
- Hobday A.J. and G.W. Boehlert. 2001. The role of coastal ocean variation in spatial and
25 temporal patterns in survival and size of coho salmon (*Oncorhynchus kisutch*), *Canadian Journal of Fisheries and Aquatic Sciences* **58** (10) (2001), pp. 2021–2036.
- Holt, R.A., J.E. Sanders, J.L. Zim, J.L. Fryer, and K.S. Pilcher. 1975. Relation of water
30 temperature to *Flexibacter columnaris* infection in steel head trout (*Salmo gairdneri*), coho (*Oncorhynchus kisutch*), and chinook (*O. tshawytscha*) salmon. *J. Fish. Res. Board Can.* 32:1553-1559.
- Holtby, L.B., and J.C. Scrivener. 1989. Observed and simulated effects of climatic variability, clear-cut logging, and fishing on the numbers of chum salmon (*Oncorhynchus keta*) and
35 coho salmon (*O. kisutch*) returning to Carnation Creek, British Columbia. In C. D. Levings, L. B. Holtby, and M. A. Henderson (editors), *Proceedings of the national workshop on effects of habitat alteration on salmonid stocks*, p. 62-81. *Can. Spec. Publ. Fish. Aquat. Sci.* 105.
- 40 Hood, W.G. 2005. “Sea Level Rise in the Skagit Delta.” *Skagit River Tidings*. Skagit Watershed Council, Mount Vernon, Washington.
- Hoop Valley Tribe Environmental Protection Agency (HVTEPA). 2008. Water Quality Control Plan Hoopa Valley Indian Reservation. Approved September 11, 2002,
45 Amendments Approved February 14, 2008. Hoopa Tribal EPA. Hoopa, CA. 285p.

- Hopelain, J.S. 2001. Lower Klamath River angler creel census with emphasis on upstream migrating fall chinook salmon, coho salmon, and steelhead trout during July through October, 1983 through 1987.
- 5 Humboldt Redwoods Company (HRC). 2009. Aquatic Conditions Annual Report 2009. 11p.
- ICF/ Jones & Stokes. 2010. Hatchery and Stocking Program Environmental Impact Report/Environmental Impact Statement. Final. January.(ICF J&S 00264.08) (SCH #2008082025). Sacramento, CA. Prepared for the California Department of Fish and Game and U.S. Fish and Wildlife Service, Sacramento, CA. Available at:
10 <http://www.dfg.ca.gov/news/pubnotice/hatchery/>
- Independent Multidisciplinary Science Team (IMST). 2002. Recovery of Wild Salmonids in Western Oregon Lowlands. Technical Report 2002-01. July 15, 2002. Oregon Watershed
15 Enhancement Board Office. Salem, Oregon. Available on the Internet at:
<http://www.fsl.orst.edu/imst/reports/2002-01.doc>
- Independent Scientific Advisory Board (ISAB). 2002. Hatchery surpluses in the Pacific Northwest. Fisheries 27(12): 16-27.
20
- Intergovernmental Panel on Climate Change (IPCC). 2007. The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor and H.L. Miller (eds.)]. Cambridge University
25 Press, Cambridge, United Kingdom and New York, NY, USA.
- Iwata, M. and Komatsu, S. 1984. Importance of estuarine residence for adaptation of chum salmon (*Oncorhynchus keta*) fry to seawater. Canadian Journal of Fisheries and Aquatic
30 Sciences 41(5): 744-749.
- Jacobs, S.E. 1988. Oregon coastal salmon spawning surveys, 1985. Oreg. Dep. Fish Wildl., Fish Div., 56 p. (Available from Oregon Department of Fish and Wildlife, P.O. Box 59, Portland, OR 97207.)
- 35 Jahn, J. 2010. Personal communication. Fisheries Biologist. National Marine Fisheries Service. Santa Rosa, CA.
- Jameson, R.J. and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. *Journal of Mammalogy* 58(4): 672.
40
- Jenkins, T. M. 1969. Social structure, position choice and microdistribution of two trout species (*Salmo trutta* and *Salmo gairdneri*) resident in mountain streams. Animal Behavior Monographs 1(2):57-123.
- 45 Johnson, C. 2010. Personal communication. Biologist. National Marine Fisheries Service. La Jolla, CA.

- Johnson, S.L. 1988. The effects of the 1983 El Niño on Oregon's coho (*Oncorhynchus kisutch*) and chinook (*O. tshawytscha*) salmon. *Fish. Res.* 6:105-123.
- 5 Johnson, S.L., M.F. Solazzi, and J.D. Rogers. 1993. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. *Oreg. Dep. Fish Wildl. Fish Research Proj. F-125-R-5, Annual Rep*, 12 p. (Available from Oregon Department of Fish and Wildlife, P. O. Box 59, Portland, OR 97207.)
- 10 Johnstone, J.A. and T.E. Dawson. 2010. Climatic context and ecological implications of summer fog decline in the coast redwood region. *Proceedings of the National Academy of Sciences.* 107(10): 4533-4538.
- Jong, W.H. and T. Mills. 1992. Anadromous salmonid escapement studies, South Fork Trinity River, 1984 through 1990. Klamath-Trinity Program, Inland Fisheries Division. Unpublished Administrative Report No. 92-XX. 26 p.
- 15 Jong, B., L. Preston, and M. Gilroy. 2008. Status of coho salmon (*Oncorhynchus kisutch*) in California as measured by changes in temporal and spatial historic occurrence Part I: California coastal watersheds north of Punta Gorda. Draft for NMFS. Northern Region Fisheries Program for Fisheries Restoration Grant Program. California Department of Fish and Game. Sacramento, California. September 2.
- 20 Jonsson, B. 1997. A review of ecological and behavioural interactions between cultured and wild Atlantic salmon. *ICES Journal of Marine Science*, 54: 1031-1039.
- 25 Jordahl, D.M., and Benson, A. 1987. Effect of low pH on survival of brook trout embryos and yolk-sac larvae in West Virginia streams. *Trans. Am. Fish. Soc.* **116**: 807– 816.
- Joseph, L.N., S.A. Field, C. Wilcox, and H.P. Possingham. 2006. Presence-absence versus abundance data for monitoring threatened species. *Conservation biology* 20(6):1679-1687.
- 30 Kahler, T.H., P. Roni, and T.P. Quinn. 2001. Summer movement and growth of juvenile anadromous salmonids in small western Washington streams. *Canadian Journal of Fisheries and Aquatic Sciences* 58:1947–1956.
- 35 Karuk Tribe of California. 2002. Water Quality Control Plan. Karuk Tribe Department of Natural Resources, Orleans, CA. 36 p. (1.2 Mb)
- Kaufmann, P.R., Larsen, D.P., Faustini, J.M., 2009. Bed Stability and Sedimentation Associated With Human Disturbances in Pacific Northwest Streams1. *JAWRA Journal of the American Water Resources Association* 45, 434-459.
- 40 Kelsey, H.M. 1980. A sediment budget and an analysis of geomorphic process in the Van Duzen River basin, north coastal California, 1941-1975: *Geological Society of America Bulletin*, v. 91, no. 41, pt. 2, p. 1119-1216.

- Kendall, B.E. and G.A. Fox. 2003. Unstructured individual variation and demographic stochasticity. *Conservation biology* 17. 1170-1172.
- 5 Keppeler, E., Lewis, J., Lisle, T., 2003. Effects of forest management on streamflow, sediment yield, and erosion, Caspar Creek Experimental Watersheds. The First Interagency Conference on Research in the Watersheds, Benson, AZ. USDA Forest Service, Pacific Southwest Research Station, Arcata, CA.
- 10 Kier Associates and National Marine Fisheries Service (NMFS). 2008. Updated guide to the reference values used in the Southern Oregon/Northern California coho salmon recovery conservation action planning (CAP) workbooks. July. Arcata, CA.
- 15 Kinnison, M.T., M.J. Unwin, A.P. Hendry, and T.P. Quinn. 2001. Migratory costs and the evolution of egg size and number in introduced and indigenous salmon populations. *Evolution* 55:1656-1667.
- 20 Kiparsky M, and Gleick P.H. 2003. Climate change and California water resources: a survey and summary of the literature. Pacific Institute for Studies in Development, Environment, and Security, Oakland, California. California Energy Commission. Report 500-04-073, Sacramento, CA
- 25 Klein, R.D. 1979. Urbanization and stream water quality impairment. *Water Resources Bulletin* 15: 948-963.
- 30 Klein, R.D., W.J. Trush, M. Buffleben, 2008. Watershed condition, turbidity, and implications for anadromous salmonids in north coastal California streams. Report to North Coast Regional Water Quality Control Board, Santa Rosa, CA.
- 35 Knechtle, M. and D. Chesney. 2011. 2010 Scott River Salmon Studies – Final Report. California Department of Fish and Game Northern Region, Klamath River Project, Yreka, California. 21 p.
- 40 Knighton, A.D. 1991. Channel bed adjustment along mine-affected rivers of northeast Tasmania. *Geomorphology* 4, 205–19.
- 45 Knowles, N., M. D. Dettinger, and D. R. Cayan, 2006: Trends in snowfall versus rainfall in the western United States. *J. Clim.*, 4545–4559.
- 40 Koenings, J.P., H.J. Geiger, and J.J. Hasbrouck. 1993. Smolt-to-adult survival patterns of sockeye salmon (*Oncorhynchus nerka*): Effects of smolt length and geographic latitude when entering the sea. *Canadian Journal of Fisheries and Aquatic Sciences* 50:600-611.
- 45 Kohane, M. J. & Parsons, P. A. 1988. Domestication. Evolutionary change under stress. *Evolutionary Biology* 23, 31–48.

- Kondolf, G.M. 1997. Hungry water: Effects of dams and gravel mining on river channels. *Environmental Management* 21(4):533-551.
- 5 Kondolf, G.M. 2000. Assessing Salmonid Spawning Gravel Quality. *Trans. Am. Fish. Soc.* 129:262-281.
- Kondolf, G.M., and M.G. Wolman. 1993. The sizes of salmonid spawning gravels. *Water Resources Research* 29:2275-2285.
- 10 Kondolf, G.M., and M.L. Swanson. 1993. Channel adjustments to reservoir construction and instream gravel mining, Stony Creek, California. *Environmental Geology and Water Science* 21:256-269.
- 15 Koski, K.V. 1966. The survival of coho salmon (*Oncorhynchus kisutch*) from egg deposition to emergence in three Oregon coastal streams. Master's thesis, Oregon State University. 98 pp.
- Koski, K V. 2009. Estuarine rearing by age-0 coho salmon: life-history strategy for resilience. *Ecology and Society* 14(1): 2. [online] URL:
20 <http://www.ecologyandsociety.org/vol14/iss1/art2/>.
- Koslow, J.A., A. Hobday and G. Boehlert. 2002. Climate variability and marine survival of coho salmon (*Oncorhynchus kisutch*) off the coast of California, Oregon and Washington, USA. *Fisheries Oceanography* 11: 65-77.
- 25 Kostow, K.E. 2004. Differences in juvenile phenotypes and survival between hatchery stocks and a natural population provide evidence for modified selection due to captive breeding. *Canadian Journal of Fisheries and Aquatic Sciences* 61:577–589.
- 30 Kostow K.E. 2009. Factors that contribute to the ecological risks of salmon and steelhead hatchery programs and some mitigating strategies. *Rev. Fish Biol. Fish.*, 19(1): 9-31.
- Kostow, K.E. and S.J. Zhou. 2006. The effect of an introduced summer steelhead hatchery stock on the productivity of a wild winter steelhead population. *Trans. Am. Fish. Soc.* 135:825-841.
- 35 Kostow, K.E, Marshall AR, Phelps S.R. 2003. Naturally spawning hatchery steelhead contribute to smolt production but experience low reproductive success. *Trans Am Fish Soc* 132:780–790.
- 40 Kukulka, T., D.A. Jay. 2003. Impacts of Columbia River discharge on water surface elevation and salmonid habitat I. A non-stationary fluvial tide model, *J. Geophys. Res.*, 108(C9), 10.1029/2002JC001382
- 45 Kundzewicz, Z.W., L.J. Mata, N.W. Arnell, P. Döll, P. Kabat, B. Jiménez, K.A. Miller, T. Oki, Z. Sen and I.A. Shiklomanov, 2007: Freshwater resources and their management. *Climate*

- Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson, Eds., Cambridge University Press, Cambridge, UK, 173-210.
- 5 Kruzic, L. 2011. Fishery Biologist. National Marine Fisheries Service. Salmon Recovery Division. Roseburg, Oregon.
- 10 Labelle, M. 1992. Straying patterns of coho salmon (*Oncorhynchus kisutch*) stocks from southeast Vancouver Island, British Columbia. Can. J. Fish. Aquat. Sci. 49:1843-1855.
- 15 Laetz, C.A., D.H. Baldwin, T.K. Collier, V. Herbert, J.D. Stark and N. L. Scholz. 2009. The Synergistic Toxicity of Pesticide Mixtures: Implications for Risk Assessment and the Conservation of Endangered Pacific Salmon. Environmental Health Perspectives, Volume 117, No. 3 | March 2009, 348-353.
- Lande, R. 1993. Risks of population extinction from demographic and environmental stochasticity and random catastrophes. American Naturalist. 142:911-927.
- 20 Landridge, R. 2002. Changing legal regimes and the allocation of water between two California Rivers. Natural Resources Journal 42: 283-330.
- Landsberg, J.H., 2002. The effects of harmful algal blooms on aquatic organisms. Reviews of Fisheries Science 10, 113–390.
- 25 Langridge, R. 2002. Changing legal regimes and the allocation of water between two northern California rivers. Natural Resources Journal 42 (2):283–330.
- 30 Lanigan, S.H., S.N. Gordon, P. Eldred, M. Isley, S. Wilcox, C. Moyer, and H.Andersen. 2011. Northwest Forest Plan – the first 15 years (1994-2008): status and trend of watershed condition. Gen. Tech. Rep. PNW-GTR-XXX. Portland, OR:U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Larkin, P.A. 1977. Pacific salmon. Pages 156-186 in J. A. Gulland, editor. Fish population dynamics.
- 35 Lathrop R.C., S.R. Carpenter, J.C. Panuska, P.A. Soranno, and CF.A. Stow. 1998. Phosphorus Loading Reductions Needed to Control Blue-green Algal Blooms in Lake Mendota. Canadian Journal of Fisheries and Aquatic Sciences 55:1169-1178.
- 40 Lawson, P.W. 1993. Cycles in ocean productivity, trends in habitat quality, and the restoration of salmon runs in Oregon. Fisheries 18(8):6-10.
- Learn, S. 2011. Gold miner Cliff Tracy agrees to stop mining on Galice Creek in southwest Oregon. The Oregonian, Friday, June 24, 2011. 1 p.

- 5 Leidy, R.A., and G.R. Leidy. 1984. Life stage periodicities of anadromous salmonids in the Klamath River Basin, northwestern California. U.S. Fish and Wildlife Service, Sacramento, California, 38 p. (Available U.S. Fish and Wildlife Service, Division of Ecological Services, Sacramento Field Office, 2800 Cottage Way, Rm. 1803, Sacramento, CA 95825.)
- 10 Leopold, L.B. 1968, Hydrology for Urban Land Planning A Guidebook on the Hydrologic Effects of Urban Land Use, U.S. Geological Survey Circular 554, 18p.
- 15 Lettenmaier, D. P. and T. Y. Gan. 1990. "Hydrologic Sensitivities of the Sacramento-San Joaquin River Basin, California, to Global Warming," Water Resources Research. 26(1): 69-86.
- 20 Levin P.S, R.W. Zabel, and J.G. Williams. 2001. The road to extinction is paved with good intentions: negative association of fish hatcheries with threatened salmon. Proc R Soc Lond 268:1153–1158.
- 25 Levin, P.S. and N. Tolimieri. 2001. Differences in the impacts of dams on the dynamics of salmon populations Journal: Animal Conservation Volume: 4 Issue: 4 Pages: 291-299
- 30 Liermann, M. and R. Hilborn. 2001. Depensation: evidence, models, and implications. Fish and Fisheries 2: 33-58.
- 35 Ligon, F.K., W.E. Dietrich and W.J. Trush. 1995. Ecological Effects of dams. Page 183 of 183-192 Bioscience 1995
- 40 Ligon, F.K., A. Rich, G. Rynearson, D. Thornburgh, and W. Trush. 1999. Report of the Scientific Review Panel on California Forest Practice Rules and Salmonid Habitat. Prepared for the Resources Agency of California and the National Marine Fisheries Service; Sacramento, CA.
- 45 Lindley, S.T., R.S. Schick, E. Mora, P.B. Adams, J.J. Anderson, S. Greene, C. Hanson, B. May, D. McEwan, R.B. MacFarlane, C. Swanson, and J.G. Williams. 2007. Framework for assessing viability of threatened and endangered Chinook salmon and steelhead in the Sacramento-San Joaquin Basin. San Francisco Estuary and Watershed Science 5: Article 4.
- 50 Lisle, T.E. 1982. Effects of aggradation and degradation on riffle-pool morphology in natural gravel channels, northwestern California. Water Resources Research 18(6):1643-1651.
- 55 Lisle, T.E. 1989. Sediment transport and resulting deposition in spawning gravels, North Coast California. Water Resource Research 25: 1303-1319.
- 60 Lister, D.B., L.M. Thorson, and I. Wallace. 1981. Chinook and coho salmon escapements and coded-wire tag returns to the Cowichan-Koksilah river system, 1976-1979. Can. Manuscript Rep. Fish. Aquat. Sci. 1608, 168 p.

- 5 Loeffel, R.E., and H.O. Wendler. 1968. Review of the Pacific coast chinook and coho salmon resources with special emphasis on the troll fishery. Prepared by the U.S. working group of the Informal Committee on Chinook and Coho, 107 p. (Available from Oregon Department of Fish and Wildlife, P.O. Box 59, Portland, OR 97207.)
- 10 Logerwell, E.A., Mantua, N.J., Lawson, P.W., Francis, R.C., and Agostini, V.N. 2003. Tracking environmental processes in the coastal zone for understanding and predicting Oregon coho (*Oncorhynchus kisutch*) marine survival. *Fish. Oceanogr.* 12: 554–568.
- Lorenz, J.M., and J.H. Eiler. 1989. Spawning Habitat and Redd Characteristics of Sockeye Salmon in the Glacial Taku River, British Columbia and Alaska. *Transactions of the American Fisheries Society* 118:495-502.
- 15 Luers, A.L., P.C. Frumhoff, K. Hayhoe, M.D. Mastrandrea. 2007. How to avoid dangerous climate change: a target for U.S. emissions reductions. Union of Concerned Scientists (UCS), Cambridge, MA
- 20 Macdonald, J.S., C.D. Levings, C.D. McAllister, U.H.M. Fagerlund, and J.R. McBride. 1988. A field experiment to test the importance of estuaries for chinook salmon (*Oncorhynchus tshawytscha*) survival: Short-term results. *Canadian Journal of Fisheries and Aquatic Sciences* 45(8): 1366-1377.
- 25 MacDonald, L., A.W. Smart, and R.C. Wissmar. 1991. Monitoring guidelines to evaluate effects for forestry activities on streams in the Pacific Northwest and Alaska. U.S. Environmental Protection Agency, Region 10, NPS Section, WD-139, Seattle, Washington.
- 30 MacFarlane, R.B., S. Hayes, and B. Wells. 2008. Coho and Chinook Salmon Decline in California during the Spawning Seasons of 2007/'08. Unpublished memo.
- Madej, M.A., Sutherland, D.G., Lisle, T.E., Pryor, B., 2009. Channel responses to varying sediment input: A flume experiment modeled after Redwood Creek, California. *Geomorphology* 103, 507–519.
- 35 Mantua, N., S. Hare, Y. Zhang, J. Wallace, and R. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production, *Bull. Am. Meteorol. Soc.*, 78, 1069–1079.
- 40 Marine, K.R. and J.J. Cech Jr. 2004. Effects of High Water Temperature on Growth, Smoltification, and Predator Avoidance in juvenile Sacramento River Chinook Salmon. *N. Amer. J. Fish. Man.* 24:198-210
- 45 Martin, A. 2009. Personal Communication. Fisheries Biologist, Yurok Tribal Fisheries Program.

- Mason, J.C., and D.W. Chapman. 1965. Significance of early emergence, environmental rearing capacity, and behavioral ecology of juvenile coho salmon in stream channels. *J. Fish. Res. Board Can.* 22(1): 172-190.
- 5 Mathews, S.B., and R. Buckley. 1976. Marine mortality of Puget Sound coho salmon (*Oncorhynchus kisutch*). *Journal of the Fisheries Research Board of Canada* 33:1677-1684.
- 10 Matthews, G.M., D.L. Park, S. Achord, and T.E. Ruehle. 1986. Static seawater challenge test to measure relative stress levels in spring Chinook salmon smolts. *Transactions of the American Fisheries Society* 115:236-244.
- 15 Maule, A.G., C.B. Schreck, C.S. Bradford, and B.A. Barton. 1988. Physiological effects of collecting and transporting emigrating juvenile chinook salmon past dams on the Columbia River. *Transactions of the American Fisheries Society* 117:245-261.
- 20 May, C.W., E.B. Welch, R.R. Horner, J.R. Karr, and B.W. Mar. 1997. *Quality Indices for Urbanization Effects in Puget Sound Lowland Streams*. Washington Department of Ecology, Olympia, WA.
- 25 May, R.M. 1973. Stability in randomly fluctuating versus deterministic environments. *American Naturalist* 107: 621-650.
- 30 McCullough, D. 1999. A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with Special Reference to Chinook Salmon. Columbia Intertribal Fisheries Commission, Portland, OR. Prepared for the U.S. Environmental Protection Agency Region 10. Published as EPA 910-R-99-010.
- 35 McElhany P., T. Backman, C. Busack, S. Heppell, S. Kolmes, A. Maule, J. Myers, D. Rawding, D. Shively, A. Steel, C. Steward, and T. Whitesel. 2003. Interim report on viability criteria for Willamette and Lower Columbia Basin Pacific salmonids. Willamette/Lower Columbia Technical Recovery Team report, 31 March 2003. NOAA Fisheries, Seattle, Washington. Available at: www.nwfsc.noaa.gov/trt/wlc_viabrpt/complete.pdf.
- 40 McElhany, P., M. Ruckelshaus, M. Ford, T. Wainwright, and E. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42, 158p.
- 45 McGinnity, P., P. Prodohl, A. Ferguson, R. Hynes, N. O'Maol-le'igh, N. Baker, D. Cotter, B. O'Hea, D. Cooke, G. Rogan, J. Taggart, and T. Cross. 2003. Fitness reduction and potential extinction of wild populations of Atlantic salmon, *Salmo salar*, as result of interactions with escaped farmed salmon. *Proceedings of the Royal Society of London Series B*, 270: 2443-2450.
- McGurk, M.D. 1996. Allometry of marine mortality of Pacific Salmon. *Fish Bulletin* 94:77-88

- McHugh P. and P. Budy. 2006. Experimental effects of nonnative brown trout (*Salmo trutta*) on the individual- and population-level performance of native Bonneville cutthroat trout (*Oncorhynchus clarkii utah*). *Trans Am Fish Soc* 135:1441–1455
- 5 McIntosh, B.A., J.R. Sedell, J.E. Smith, R.C. Wissmar, S.E. Clarke, G.H. Reeves, and L.A. Brown. 1994. Management History of Eastside Ecosystems: Change in Fish Habitat Over 50 Years, 1935 to 1992. 1994. Forest Service, U.S. Department of Agriculture.
- 10 Mclean, J.E., P. Bentzen, and T.P. Quinn. 2003. Differential reproductive success of sympatric, naturally spawning hatchery and wild steelhead trout (*Oncorhynchus mykiss*) through the adult stage. *Can. J. Fish. Aquat. Sci.* 60(4): 433–440. doi:10.1139/f03-040.
- 15 McLeod, R.F. and C.F. Howard. 2010. January 7, 2010 Mill Creek Fisheries Monitoring Program Final Report. Mill Creek Fisheries Monitoring Program Funded by California Department of Fish and Game Fisheries Restoration Grants Program. Grantee Agreement No. P0610530.
- 20 McMichael, G.A., C.S. Sharpe, and T.N. Pearson. 1997. Effects of residual hatchery-reared steelhead on growth of wild rainbow trout and spring chinook salmon. *Trans. Am. Fish. Soc.* 126, 230–239.
- Meengs, C.C. and R.T. Lackey. 2005. Estimating the size of historical Oregon salmon runs. *Reviews in Fisheries Science* 13:51-66.
- 25 Melbourne, B.A. and A. Hastings. 2008. Extinction risk depends strongly on factors contributing to stochasticity. *Nature* 454: 100-103.
- 30 Menzie C., A.M. Burke, D. Grasso, M. Harnois, B. Magee, D. McDonald, C. Montgomery, A. Nichols, J. Piquatello, B. Price, and R. Price. 2000. An Approach for Incorporating Information on Chemical Availability in Soils into Risk Assessment and Risk-Corrective Action. Prepared by the New England Environmentally Acceptable Endpoints Workgroup. *Human and Ecological Risk Assessment*. Vol. 6 (3) p. 479 - 510.
- 35 Merrell, T.R., Jr., and K.V. Koski. 1978. Habitat values of coastal wetlands for Pacific coast salmonids. Pages 256–266 in P. E. Greeson, and J. R. Clark, editors. *Wetland functions and values: the state of our understanding: proceedings of the national symposium on wetlands*. American Water Resources Association, Minneapolis, Maryland.
- 40 Miller, B. and S. Sadro. 2003. Residence Time and Seasonal Movements of Juvenile Coho Salmon in the Ecotone and Lower Estuary of Winchester Creek, South Slough, Oregon. *Transactions of the American Fisheries Society* 132:546–559.
- 45 Miller, B., K. Nordholm, and R.J. Constable, Jr. 2008. West Fork Smith River Salmonid Life Cycle Monitoring Project, Draft Report 2007-2008, Oregon Department of Fish and Wildlife, Western Oregon Research and Monitoring Program.
- Minshall, G.W. 2003. Responses of stream benthic macroinvertebrates to fire. *Forest Ecology and Management* 178:155-161.

- 5 Mobrand, L., J. Barr, D. Campton, T. Evelyn, T. Flagg, C. Mahnken, L. Seeb, P. Seidel, and W. S moker. 2005 . Hatchery Reform in Washington State: Principles and Emerging Issues. Fisheries, 30(6):11-23.
- Montgomery DR, Collins BD, Buffington JM, Abbe TB. 2003. Geomorphic effects of wood in rivers. In: Gregory, Stan V.; Boyer, Kathryn L.; Gurnell, Angela M., eds. The ecology and management of wood in world rivers. American Fisheries Society Symposium 37: 21-47.
- 10 Montgomery, D.R., Schmidt, K.M., Greenberg, H.M., Dietrich, W.E., 2000. Forest clearing and regional landsliding. Geology 28, 311.
- Moring, J.R., and R.L. Lantz. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. Part I— Biological studies. Fishery Research Report 9. Oregon Department of Fish and Wildlife, Portland, Oregon.
- 15 Moseley, M., R.D. Harmel, R. Blackwell, and T. Bidwell. 1998. Grazing and riparian area management. p. 47-53. In: M.S. Cooper (ed.) Riparian Area Management Handbook. Oklahoma Cooperative Extension Service, Division of Agricultural Services and Natural Resources, Oklahoma State University and the Oklahoma Conservation Commission. www.okstate.edu/OSU_Ag/e-952.pdf [PDF/3.3M]
- 20 Mote, P.W. and 18 co-authors. 1999. Impacts of climate variability and change: Pacific Northwest. A report of the Pacific Northwest Regional Assessment Group for the U.S. Global Change Research Program. JISAO/SMA Climate Impacts Group, University of Washington, Seattle.
- 25 Moyle, P.B. 2002. Inland fishes of California. Revised and expanded. University of California Press, Berkely, CA.
- 30 Moyle, P.B., J.A. Israel, and S.E. Purdy. 2008. Salmon, steelhead, and trout in California: status of an emblematic fauna. University of California, Davis. Available: www.caltrout.org/SOS-Californias-Native-Fish-Crisis-Final-Report.pdf.
- 35 Mundy, P.R. 1997. The role of harvest management in the future of Pacific salmon populations: shaping human behavior to enable the persistence of salmon. In: Stouder, Deanna J., Peter A. Bisson, and Robert J. Naiman, editors. *Pacific Salmon and Their Ecosystems: Status and Future Options*. Chapman and Hall, Inc., New York, NY, p. 315-329.
- 40 Murphy, G.I. 1952. An analysis of silver salmon counts at Benbow Dam, South Fork Eel River California. Calif Fish Game 38:105-112.
- 45 Murphy, M.L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska-requirements for protection and restoration. U.S.

Department of Commerce (NOAA) Coastal Ocean Program. Decision Analysis Series No. 7.

- 5 Murphy, M.L., J.F. Thedinga, K.V. Koski, and G.B. Grette. 1984. A stream ecosystem in an old-growth forest in southeastern Alaska. Part V: seasonal changes in habitat utilization by juvenile salmonids. Pages 89–98 in W.R. Meehan, T.R. Merrell, Jr., and T.A. Hanley, editors. Symposium proceedings on fish and wildlife relationships in old-growth forests. American Institute of Fisheries Research Biologists, Auke Bay, Alaska.
- 10 Murray, C.A., and C.D. Ziebell. 1984. Acclimation of rainbow trout to high pH to prevent stocking mortality in summer. *Prog. Fish-Cult.* 46:176-179.
- 15 Murray, C.B., T.D. Beacham, and J.D. McPhail. 1990. Influence of parental stock and incubation on the early development of coho salmon (*Oncorhynchus kisutch*) in British Columbia. *Can. J. Zool.* 68:347-358.
- 20 Nakamoto, R.J. 1998. Effects of timber harvest on aquatic vertebrates and habitat in the North Fork Caspar Creek. Pages 87-96 in R.R. Ziemer (technical coordinator). Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story, 6 May 1998, Ukiah, California. General Technical Report PSW GTR-168. Pacific Southwest Research Station, Forest Service, US Department of Agriculture, Albany, California.
- 25 Naman, S.W. 2008. Predation by hatchery steelhead on natural salmon fry in the Upper Trinity River, California. M.S. Thesis, Humboldt State University, December 2008. 74 pp. Available online at: <http://hdl.handle.net/2148/449>.
- 30 Narver, D.W. 1978. Ecology of juvenile coho salmon: can we use present knowledge for stream enhancement? Pages 38-42 in B. G. Shephard and R. M. J. Grinetz (eds.). Proc. 1977 Northeast Pacific chinook and coho salmon workshop. Dept. Fish. Environ., Vancouver. Canada Fish. Marine Servo Tech. Rep. 759.
- NMFS. 1990. Endangered and threatened species; listing and recovery priority guidelines. Notice. Federal Register, Volume 55, No. 115. Friday, June 15, 1990. 3 p.
- 35 National Marine Fisheries Service (NMFS). 1996. Coastal Salmon Conservation: Working Guidance for Comprehensive Salmon Restoration Initiatives on the Pacific Coast. September 1996. 5pp.
- 40 National Marine Fisheries Service (NMFS). 1997. Endangered Species Act - Section 7 Consultation, Biological Opinion and Conference Opinion on Continued Implementation of Land and Resource Management Plans (USFS) and Land Use Planning Documents (BLM): USDA Forest Service: Klamath, Mendocino, Shasta-Trinity, and Six Rivers National Forests; USDI Bureau of Land Management: Arcata, Clear Lake, and Redding Resource Areas. National Marine Fisheries Service (NMFS), Southwest Region, Long Beach, California. June 20.

- National Marine Fisheries Service (NMFS). 1998. Factors Contributing to the Decline of Chinook Salmon: An Addendum to the 1996 West Coast Steelhead Factors for Decline Report. Northwest Region, Protected Resources Division. Portland, Oregon. 74 p.
- 5 National Marine Fisheries Service (NMFS). 1999. Supplemental Biological Opinion and Incidental Take Statement: The Pacific Coast Salmon Plan and Amendment 13 to the Plan. 51 p.
- 10 National Marine Fisheries Service (NMFS). 2001. Status review update for coho salmon (*Oncorhynchus kisutch*) from the Central California Coast and the California Portion of the Southern Oregon/Northern California Coast Evolutionarily Significant Units. Southwest Fisheries Science Center, Santa Cruz, California. April 12. 43 p.
- National Marine Fisheries Service (NMFS). 2003. Updated July 2000 4(d) Rule Implementation Binder for Threatened Salmon and Steelhead on the West Coast. 103 p.
- 15 National Marine Fisheries Service (NMFS). 2004. Interim Endangered and Threatened Species Recovery Planning Guidance Version 1.3. National Marine Fisheries Service, Silver Spring, Maryland. October.
- National Marine Fisheries Service (NMFS). 2006. Historical Population Structure of Coho Salmon in the Sothern Oregon / Northern California Coasts Evolutionarily Significant Unit. NOAA-TM-NMFS-SWFSC-390.
- 20 National Marine Fisheries Service (NMFS). 2007a. Magnuson-Stevens Reauthorization Act Klamath River Coho Salmon Recovery Plan. Prepared by Rogers, F. R., I. V. Lagomarsino and J. A. Simondet for the National Marine Fisheries Service, Long Beach, CA. 48 pp.
- 25 National Marine Fisheries Service (NMFS). 2007b. Adaptive Management for ESA-Listed Salmon and Steelhead Recovery: Decision Framework and Monitoring Guidance. NOAA's National Marine Fisheries Service Northwest Region and Northwest Fisheries Science Center. 66 p.
- 30 National Marine Fisheries Service (NMFS). 2008a. Biennial Report to Congress on the Recovery Program for Threatened and Endangered Species. October 1, 2006 – September 30, 2008. National Marine Fisheries Service. Silver Spring, Maryland. 184 p.
- 35 National Marine Fisheries Service (NMFS). 2008b. Environmental Protection Agency Registration of Pesticides Containing Chlorpyrifos, Diazinon, and Malathion. National Marine Fisheries Service Endangered Species Act Section 7 Consultation Biological Opinion. NMFS, Silver Springs Md. 478 p.
- National Marine Fisheries Service (NMFS). 2009. Fisheries of the United States – 2008. Silver Spring, MD: U.S. Department of Commerce, National Marine Fisheries Service, Office of Science and Technology, Fisheries Statistics Division. 103pp.

- National Marine Fisheries Service (NMFS). 2010. Interim Endangered and Threatened Species Recovery Planning Guidance Version 1.3 National Marine Fisheries Service 1315 East-West Hwy. Silver Spring, MD 20910.
- 5 National Marine Fisheries Service (NMFS). 2011. Southern Oregon/Northern California Coast Recovery Domain 5-Year Review: Summary and Evaluation of Southern Oregon/Northern California Coast Coho Salmon ESU. National Marine Fisheries Service Southwest region. Long Beach, California. 59 p.
- 10 National Marine Fisheries Service (NMFS) and California Department of Fish and Game (CDFG). 2001. Joint Hatchery Review Committee Final report on Anadromous Salmonid Fish Hatcheries in California. December 3, 2001
- 15 National Research Council (NRC). 2004. Endangered and threatened fishes in the Klamath River basin: causes of decline and strategies for recovery. Committee on Endangered and Threatened Fishes in the Klamath River Basin, Board of Environmental Toxicology, Division on Earth and Life Studies, Washington D.C. 398 p.
- 20 National Wildlife Federation (NWF). 2007. Sea Level Rise and Coastal Habitats in the Pacific Northwest: An analysis for the Puget Sound, Southwestern Washington, and Northwestern Oregon. 106 pp.
- 25 Nawa, R.K. and C.A. Frissell. 1993. Measuring scour and fill of gravel streambeds with scour chains and sliding-bead monitors. *North American Journal of Fisheries Management* 13(3):634-639.
- Neave, F. 1949. Game fish populations on the Cowichan River. *Fisheries Research Board of Canada Bulletin* 84.
- 30 Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific Salmon at the Crossroads: Stocks at Risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2): 4–21.
- Newcombe, C.P. and J.O.T. Jensen. 1996. Channel Suspended Sediment and Fisheries: A Synthesis for Quantitative Assessment of Risk and Impact. *North American Journal of Fisheries Management* 16: 693-727.
- 35 Newcombe, C.P. and D.D. MacDonald. 1991. Effects of Suspended Sediments on Aquatic Ecosystems. *North American Journal of Fisheries Management*. 11: 72-82.
- 40 Nichols, K. and J.S. Foott. 2005. Health Monitoring of Juvenile Klamath River Chinook Salmon, FY 2004 Investigational Report. USFWS California-Nevada Fish Health Center, Red Bluff, CA. (77 Kb)
- 45 Nichols K, K. True, R. Fogerty, and L. Ratcliff. 2008. Klamath River juvenile salmonid health monitoring, April-August 2007. FY 2007 Investigational report. US Fish and Wildlife Service, CA-NV Fish Health Center

- 5 Nichols, K. M., Young, W. P., Danzmann, R. G., Robison, B. D., Rexroad, C., Noakes, M., Phillips, R. B., Bentzen, P., Spies, I., Knudsen, K., Allendorf, F. W., Cunningham, B. M., Brunelli, J., Zhang, H., Ristow, S., Drew, R., Brown, K. H., Wheeler, P. A. and Thorgaard, G. H. 2003. A consolidated linkage map for rainbow trout (*Oncorhynchus mykiss*). *Animal Genetics*, 34: 102–115. doi: 10.1046/j.1365-2052.2003.00957.x
- 10 Nickelson, T.E. 1998. A Habitat-Based Assessment of Coho Salmon Production Potential and Spawner Escapement Needs for Oregon Coastal Streams. Oregon Department. Fish and Wildlife, Information Report, 98-4, Salem
- Nickelson, T. 2003. The influence of hatchery coho salmon (*Oncorhynchus kisutch*) on the productivity of wild coho salmon populations in Oregon coastal basins. *Can J Fish Aquat Sci* 60:1050–1056
- 15 Nickelson, T.E., and P.W. Lawson. 1998. Population viability of coho salmon, *Oncorhynchus kisutch*, in Oregon coastal basins: application of a habitat-based life cycle model. *Canadian Journal of Fisheries and Aquatic Sciences* 55:2383-2392.
- 20 Nickelson, T.E., J.W. Nicholas, A.M. McGie, R.B. Lindsay, D.L. Bottom, R.J. Kaiser, and S.E. Jacobs. 1992. Status of anadromous salmonids in Oregon coastal basins. *Oreg. Dep. Fish. Wildl., Res. Develop. Sect. and Ocean Salmon Manage.*, 83 p. (Available from Oregon Department of Fish and Wildlife, P. O. Box 59, Portland, OR 97207.)
- Nimick DA, Gammons CH, Parker SR. 2011. Diel biogeochemical processes and their effect on the aqueous chemistry of streams: A review. *Chemical Geology* 283:3–17.
- 25 North Coast Regional Water Quality Control Board (NCRWQCB). 2001. Water Quality Control Plan for the North Coast Region. Staff report adopted by the North Coast Regional Water Quality Control Board on June 28, 2001. Santa Rosa, CA. 124 p. Appendix.
- 30 North Coast Regional Water Quality Control Board (NCRWQCB). 2009. Water Quality Control Plan for the North Coast Region. Staff report adopted by the North Coast Regional Water Quality Control Board in January 2009. Santa Rosa, CA. 124 p.
- 35 Northcote, T.G. and D.Y. Atagi. 1997. Pacific salmon abundance trends in the Fraser River watershed compared with other British Columbia systems. In: *Pacific salmon and their ecosystems*. D. J. Strouder, P.A Bisson, R. J. Naiman editors. Chapman and Hall. New York, New York.
- 40 Opperman, J.J., Lohse, K.A., Brooks, C., Kelly, N.M., Merenlender, A.M., 2005. Influence of land use on fine sediment in salmonid spawning gravels within the Russian River Basin, California. *Canadian Journal of Fisheries and Aquatic Sciences* 62, 2740–2751.
- Oregon Department of Environmental Quality (ODEQ). 2000. Oregon Nonpoint Source Control Program Plan, 2000 Update. ODEQ, Portland, Oregon. 190 p.

- Oregon Department of Fish and Wildlife (ODFW). 1998. Hatchery Genetic Management Plan for Cole Rivers Hatchery. 49 p.
- 5 Oregon Department of Fish and Wildlife (ODFW). 2003a. Fish Hatchery Management Policy. May 9, 2003. 20 p.
- Oregon Department of Fish and Wildlife. 2003b. Native Fish Conservation Policy, 635-007-0502 through 0509. November 8, 2002; revised September 12, 2003.
- 10 Oregon Department of Fish and Wildlife (ODFW). 2005a. Oregon Native Fish Status Report. Volume II. Assessment Methods and Population Results. Salem, Oregon.
- Oregon Department of Fish and Wildlife (ODFW). 2005b. The Importance of Beaver (*Castor Canadensis*) to Coho Habitat and Trend in Beaver Abundance in the Oregon Coast Coho ESU. ODFW, Portland, OR. 11 p.
- 15 Oregon Department of Fish and Wildlife (ODFW). 2008. Oregon fish passage barriers database. State-wide inventory of known barriers to fish passage. Accessed online on 12/1/2008 at
- 20 <http://nrimp.dfw.state.or.us/OregonPlan/default.aspx?p=134&XMLname=44.xml>
- Oregon Department of Fish and Wildlife (ODFW). 2009. Cole Rivers Hatchery Operation Plan. 32 p. ODFW. 2011a. Estimates of the run size of Rogue basin adult coho salmon past Huntley park, 1980-2010. Accessed 9/27/11 from site:
- 25 http://oregonstate.edu/dept/ODFW/spawn/pdf_files/coho/RogueCoho.pdf
- Oregon Department of Fish and Wildlife (ODFW). 2011a. 2011 Oregon Sport Fishing Regulations. 108 p.
- Oregon Department of Fish and Wildlife (ODFW). 2011b. Estimates of the run size of Rogue basin adult coho salmon past Huntley Park, 1980-2010. Accessed 9/27/11 from site:
- 30 <http://oregonstate.edu/dept/ODFW/spawn/pdf%20files/coho/RogueCoho.pdf>
- Oregon Division of State Lands. 1999. Placer mining in the State of Oregon. A Guide To Recreational And Small-Scale Placer Mining In Oregon's Waterways: What You Should Know Before You Begin. 21 pages.
- 35 Oregon Department of Transportation (ODOT). 1999. Routine Road Maintenance: Water Quality and Habitat Guide Best Management Practices. Salem, OR. July. 51 p.
- Oregon Water Resources Department (OWRD). 2009. Water Rights in Oregon, An Introduction to Oregon's Water Laws. Centennial Edition. September 2009. 48 Pages
- 40 Pacific Fishery Management Council (PFMC). 1999. Review of the 1998 ocean salmon fisheries. Chapter 3 – Inside Coho salmon fisheries and spawning escapements. Pacific

Fishery Management Council, Portland, Oregon. *Available from* Pacific Fishery Management Council, 2130 SW Fifth Ave., Suite 224, Portland, OR 97201.

- 5 Pacific Fishery Management Council (PFMC). 2001. *Review of 2000 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 10 Pacific Fishery Management Council (PFMC). 2002. *Review of 2001 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 15 Pacific Fishery Management Council (PFMC). 2003. *Review of 2002 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 20 Pacific Fishery Management Council(PFMC). 2004. *Review of 2003 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 25 Pacific Fishery Management Council (PFMC). 2005. *Review of 2004 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 30 Pacific Fishery Management Council (PFMC). 2006. *Review of 2005 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 35 Pacific Fishery Management Council (PFMC). 2007. *Review of 2006 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 40 Pacific Fishery Management Council (PFMC). 2008. *Review of 2007 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 45 Pacific Fishery Management Council (PFMC). 2009. *Review of 2008 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery

- Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384
- 5 Pacific Fishery Management Council (PFMC). 2010. *Review of 2009 Ocean Salmon Fisheries*. (Document prepared for the Council and its advisory entities.) Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 101, Portland, Oregon 97220-1384.
- 10 Pacific Fishery Management Council (PFMC). 2011. www.pcouncil.org. Accessed 4/27/11.
- Pacific Lumber Company (PALCO). 1999. Habitat Conservation Plan for the Properties of The Pacific Lumber Company, Scotia Pacific Holding Company, and Salmon Creek Corporation February 1999 Revision. 166 pages
- 15 Percy, W.G. 1992. Ocean ecology of North Pacific salmonids. Seattle, WA, Washington Sea Grant Program, University of Washington Press.
- Pearse D.E., C.J. Donohoe, J.C. Garza. 2007. Population genetics of steelhead (*Oncorhynchus mykiss*) in the Klamath River. *Environmental Biology of Fishes* 80, 377-387.
- 20 Peterman, R.M. 1982. Non-linear relation between smolts and adults in Babine Lake sockeye populations and implications for other salmon populations. *Can. J. Fish. Aquat. Sci.* 39:904-913.
- Peterson, N.P. 1982. Immigration of juvenile coho salmon (*Oncorhynchus kisutch*) into riverine ponds. *Can. J. Fish. Aquat. Sci.* 39:1308-1310.
- Petersson, E., and T. Järvi. 1993. Differences in reproductive traits between sea-ranched and wild sea-trout (*Salmo trutta*) originating from a common stock. *Nordic Journal of Freshwater Research* 68:91-97.
- 30 Pfeffer, W.T., J.T. Harper, and S. O'Neel. 2008. Kinematic Constraints on Glacier Contributions to 21st- Century Sea Level Rise. *Science AAAS*. W.T. *Science* 321. Available at: <http://www.sciencemag.org/content/321/5894/1340.full>
- 35 Platts, W.S., R.J. Torquemada, M.L. Mchenry, and C.K. Graham. 1989. Changes in salmon spawning and rearing habitat from increased delivery of fine sediment to the South-Fork Salmon River, Idaho. *Transactions of the American Fisheries Society* 118:274-283.
- 40 Pollock MM, Pess GR, Beechie TJ, Montgomery DR. 2004. The importance of beaver ponds to coho salmon production in the Stillaguamish River basin, Washington, USA. *North American Journal of Fisheries Management* 24:749-760.
- Polos, J. (Yurok Tribal Fisheries Program). 1994. Memo to Greg Bryant (NMFS), 5/7/94.
- 45 Preusch, M. 2009. Feds cracking down on illegal mining on Oregon's public lands. *The Oregonian*, Tuesday, December 2, 2009. 1 p.

- Price, E. O. 1984. Behavioral aspects of animal domestication. *Quarterly Review of Biology* 59(1):1– 32.
- 5 Quartz Valley Indian Reservation. 2009. Water Quality Monitoring and Assessment Report 2008. By Crystal Bowman, Environmental Director, QVIR, Fort Jones, CA. 65 p.
- Quinn, T.P. 1993. A review of homing and straying of wild and hatchery-produced salmon. *Fisheries Research* 18:29-44.
- 10 Quinn, T.P. 2005. The behavior and ecology of Pacific salmon and trout. UBC Press, Vancouver.
- Quinn, T.P. and N.P. Peterson. 1996. The influence of habitat complexity and fish size on over-winter survival and growth of individually marked juvenile coho salmon (*Oncorhynchus kisutch*) in Big Beef Creek, Washington. *Can. J. Fish Aqu. Sci.* 53: 1555-1564.
- 15 Ransom, B.O. 2007. Extended freshwater rearing of juvenile Coho salmon (*Oncorhynchus kisutch*) in Northern California streams. Masters Thesis – Humboldt State University, Arcata, CA.
- 20 Raymond,H.L. 1979. Effects of Dams and Impoundments on Migrations of Juvenile Chinook Salmon and Steelhead from the Snake River, 1966 to 1975. *Transactions of the American Fisheries Society* 1979; 108: 505-529 doi: 10.1577/1548 8659(1979)108<505:EODAIO>2.0.CO;2
- 25 Reeves, G.H., F.H. Everest and J.R. Sedell. 1993 . Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. *Transactions of the American Fisheries Society*. Vol 122, No. 3. May 1993.
- 30 Reeves, G.H., P.A. Bisson, and J.M Dambacher. 1998. Fish communities. Pages 200–234 in R. J. Naiman, R. E. Bilby, and S. Kantor editors. *River ecology and management: lessons from the Pacific coastal ecosystem*. Springer, New York.
- 35 Reeves GH, Everest FH, Nickelson TE. 1989. Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. US Forest Service General Technical Report PNW 245.
- 40 Reid, L.M., Dewey, N.J., Lisle, T.E., Hilton, S., 2010. The incidence and role of gullies after logging in a coastal redwood forest. *Geomorphology* 117, 155–169.
- Reinhardt, U. 2001. Selection for surface feeding in farmed and sea - ranched Masu salmon juveniles. *Transactions of the American Fisheries Society* 130:155–158.

- Reisenbichler, R.R. and McIntyre, J.D. 1977 Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, *Salmo gairdneri*. Can. J. Fish. Res. Board 34, 123–128.
- 5 Reisenbichler, R.R. and S.P. Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. ICES J. Mar. Sci. 56:459–466.
- Resighini Rancheria Environmental Department. 2006. Draft Revised Tribal Water Quality Ordinance of the Resighini Rancheria. Prepared with assistance from Kier Associates, Arcata, CA. Resighini Rancheria, Klamath, CA. (212 Kb)
- 10 Richter, A. and S.A. Kolmes. 2003. Maximum Temperature: Upper Optimal Temperature Limits for Salmonids in the Willamette and Lower Columbia Rivers. Appendix L of Interim Report on viability criteria for Willamette and Lower Columbia Basin Pacific salmonids.
- 15 Ricker, S. 2002. Annual report; Bear River juvenile salmonid emigration run-size estimates, 2000-2001. Project 2a4. California Department of Fish and Game, Northern California - North Coast Region. Steelhead Research and Monitoring Program . Arcata, CA January.
- 20 Ricker, S.J. and C.W. Anderson. 2011. Freshwater Creek Salmonid Life Cycle Monitoring Station. Annual Report. California Department of Fish and Game, Anadromous Fisheries Resource Assessment and Monitoring Program, Arcata, CA.
- 25 Ricks, C.L. 1995. Effects of channelization on sediment distribution and aquatic habitat at the mouth of Redwood Creek, northwestern California. Pages Q1-Q17, in: Nolan, K.M., H.M. Kelsey, and D.C. Marron, eds., Geomorphic processes and aquatic habitat in the Redwood Creek basin, northwestern California . U.S. Geological Survey Professional Paper 1454. Washington, DC. 21 pp.
- 30 Riverbend Sciences. 2011. Beaver Mapper. Online map of beaver distribution in California and Oregon. Riverbend Sciences, Eureka, California. Available online at <http://www.riverbendsci.com/projects/beavers> Accessed 12/6/2011.
- 35 Roberts, R.G., Church, M. 1986. The sediment budget in severely disturbed watersheds, Queen Charlotte Ranges, British Columbia. Can. J. For. Res. 16, 1092–1106.
- Rodgers, J.D., R.D. Ewing, and J.D. Hall. 1987. Physiological changes during seaward migration of wild juvenile coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences 44:452–457.
- 40 Rodgers, J.D., S.L. Johnson, T.E. Nickelson, and M.F. Solazzi. 1993. The seasonal use of natural and constructed habitat by juvenile coho salmon (*Oncorhynchus kisutch*) and preliminary results from two habitat improvement projects on smolt production in Oregon coastal streams. In L. Berg and P.W. Delaney (editors), Proceedings of the Coho Workshop, Nanaimo, B.C., May 26-28, 1992, p. 344-351. (Available from Department of

Fisheries and Oceans, Habitat Management Sector, Policy and Information Unit, 327-555 West Hastings Street, Vancouver, BC V6B 5G3.)

- 5 Rodgers, J.D., K.K. Jones, A.G. Talabere, C.H. Stein, and E.H. Gilbert. 2005. Oregon coast coho habitat assessment, 1998-2003. OPSW-ODFW-2005-5, Oregon Department of Fish and Wildlife, Salem.
- 10 Roering, J.J., Schmidt, K.M., Stock, J.D., Dietrich, W.E., Montgomery, D.R., 2003. Shallow landsliding, root reinforcement, and the spatial distribution of trees in the Oregon Coast Range. *Canadian Geotechnical Journal* 40, 237–253.
- Roffe, T.J. and B.R. Mate. 1984. Abundance and feeding habits of pinnipeds in the Rogue River, Oregon. *Journal of Wildlife Management* 48(4): 1262–1274.
- 15 Roos, M. 2003. The Effects of Global Climate Change on California Water Resources. Contractors Report, Public Interest Energy Research, California Energy Commission, P500-03-025 (April), Sacramento, California.
- 20 Roughgarden, J.A. 1975. A simple model for population dynamics in stochastic environments. *American Naturalist* 109: 713-736. 1975.
- Ruzzante D. E. 1994. Domestication effects on aggressive and schooling behavior in fish. *Aquaculture* 120:1–24.
- 25 Ryall, P.E., and C.D. Levings. 1987. Juvenile salmon utilization of rejuvenated tidal channels in the Squamish Estuary, British Columbia. *Canadian Manuscript Report of Fisheries and Aquatic Sciences* 1904:1–23.
- 30 Ryding, K.E., and Skalski, J.R. 1999. Multivariate regression relationships between ocean conditions and early marine survival of coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 56: 2374–2384.
- 35 Salmon and Steelhead Hatchery Assessment Group (SSHAG). 2003. Hatchery broodstock summaries and assessments for chum, coho, and Chinook salmon and steelhead stocks within the Evolutionarily Significant Units listed under the Endangered Species Act. NOAA Fisheries Northwest Fisheries Science Center and NOAA Fisheries Southwest Fisheries Science Center. 325 p.
- 40 Salo, E., and W.H. Bayliff. 1958. Artificial and natural production of silver salmon, *Oncorhynchus kisutch*, at Minter Creek, Washington. *Wash. Dep. Fish. Res. Bull.* 4, 76 p.
- 45 Sandahl, J.F., D.H. Baldwin, J.J. Jenkins & N.L. Scholz. 2007. A sensory system at the interface between urban stormwater runoff and salmon survival. *Environmental Science & Technology* 41:2998-3004.

- Sandercock, F.K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). Pp. 397-445 In C. Groot and L. Margolis (Eds.). 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver, B. C.
- 5 Scheffer, T.H., and C.C. Sperry. 1931. Food habits of the Pacific harbor seal, *Phoca vitulina richardsi*. *Journal of Mammalogy* 12(3): 214–226.
- Schlosser, I.J. 1987. The role of predation in age- and size-related habitat use by stream fishes. *Ecology* **68**, 631–639.
- 10 Schmidt, K., Roering, J., Stock, J., Dietrich, W., Montgomery, D., Schaub, T., 2001. The variability of root cohesion as an influence on shallow landslide susceptibility in the Oregon Coast Range. *Canadian Geotechnical Journal* 38, 995–1024.
- 15 Scholz, Nathaniel L., N.K. Truelove, B.L. French, B.A. Berejikian, T.P. Quinn, E. Casillas, and T.K. Collier. 2000. Diazinon disrupts antipredator and homing behaviors in chinook salmon (*Ocorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences*.
- 20 Scrivener, J.C. and Andersen, B.C. 1982. Logging impacts and some mechanisms which determine the size of spring and summer populations of coho salmon fry in Carnation Creek. In *Proceedings of the Carnation Creek Workshop: a ten year review*. Edited by G. F. Hartman. Pacific Biological Station, Nanaimo, BC, Canada. pp. 257-272.
- 25 Scrivener, J.C., and B.C. Andersen. 1984. Logging impacts and some mechanisms that determine the size of spring and summer populations of coho salmon fry (*Oncorhynchus kisutch*) in Carnation Creek, British Columbia. *Can. J. Fish. Aquat. Sci.* 41:1097-1105.
- Shaffer, M.L. 1981. Minimum population sizes for species conservation. *BioScience* 31:131-134.
- 30 Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo uairdneri clairdneri*) and Fish and Game Bulletin 98. 275 pp. silver salmon (*Oncorhynchus kisutch*). California Department of Game Bulletin 98. 275 pp.
- Sharr, S., C. Melcher, T. Nickelson, P. Lawson, R. Kope, and J. Coon. 2000. 2000 review of amendment 13 to the Pacific Coast salmon plan. Exhibit B.3.b. OCN workgroup report. Pacific Fisheries Management Council, Portland, OR.
- 35 Shaver, E., J. Maxted, G. Curtis and D. Carter. 1995. "Watershed Protection Using an Integrated Approach." In *Stormwater NPDES Related Monitoring Needs*. Engineering Foundation. American Society of Civil Engineers. Crested Butte, CO. August 7-12, 1994.
- 40 Sibert, J.T., Brown, T.J., Healey, M.C., Kask, B.A., and Naiman, R.J. 1977. Detritus-based food webs: Exploitation by juvenile chum salmon (*Oncorhynchus keta*). *Science* 196: 649-650.

- 5 Sidle, R.C., A.J. Pearce and C.L. O'Loughlin. 1985. Hillslope stability and land use. Water Resources Monograph Series, Volume 11. American Geophysical Union, Washington, D.C.
- 5 Silloway S. 2010. Fish Surveys Related to the Proposed Del Norte Highway 101 Klamath Grade Raise Project Contract No. 03A1317 Task Order 48. Accessed online 12/13/2011: <http://www.yuroktribe.org/departments/fisheries/documents/YTFP2010KlamathGradeRaisebyCaltransFishReportFINAL.pdf>
- 10 Silver, S., C. Warren, and P. Doudoroff. 1963. Dissolved Oxygen Requirements of Developing Steelhead Trout and Chinook Salmon Embryos at Different Water Velocities. Transactions of the American Fisheries Society 92, 327-343.
- 15 Sinnen, W. 2002. Annual Report: Trinity River Basin Salmon and Steelhead Monitoring Project, 2001– 2002 Season. Task 3: Survival and spawner escapements made by Coho salmon produced at the Trinity River Hatchery. (Available from California Department of Fish and Game, Northern California Coast District, 5341 Ericson Way, Arcata, CA 95521.)
- 20 Skeesick, D.G. 1970. The fall immigration of juvenile coho salmon into a small tributary. Fish Commission of Oregon, Research Division Research Report 2, Subject: Coho data collected during harvest monitoring activities on Yurok Indian Reservation, CA.
- Snyder, J.O. 1931. Salmon of the Klamath River, California. Div. of Fish and Game of Calif., Fish Bulletin No. 34.
- 25 Sommer, T.R, W.C. Harrell and M.L. Nobriga. 2005. Habitat use and stranding risk of juvenile Chinook salmon on a seasonal floodplain. North America Journal of Fisheries Management 25:1493-1504
- Sorenson, P. W., J. R. Cardwell, T. Essington, and D. E. Weigel. 1995. Reproductive interactions between sympatric brook and brown trout in a small Minnesota stream. Canadian Journal of Fisheries and Aquatic Sciences 52:1958–1965.
- 30 Spence, B.C., E.P. Bjorkstedt, J.C. Garza, J.J. Smith, D.G. Hankin, D. Fuller, W.E. Jones, R.Macedo, T.H. Williams, and E. Mora. 2008. A framework for assessing the viability of threatened and endangered salmon and steelhead in the North-Central California Coast recovery domain. NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-423. 173 p.
- 35 Spence, B.C., G.A. Lomnicky, R.M. Hughes and R. P. Novitzki. 1996. An Ecosystem Approach to Salmonid Conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501-96-6057. Man Tech Environmental Research Services Corp., Corvallis, OR.
- 40 Spencer, C.N., K.O. Gabel, and F.R. Hauer. 2003. Wildfire effects on stream food webs and nutrient dynamics in Glacier National Park, USA. Forest Ecology and Management 178: 141-153.

- State of Oregon, J.W. Nichols, principal writer. 1997. The Oregon Plan (Oregon Coastal Salmon Restoration Initiative). Oregon Governor's Office. Salem, OR. 134 p.
- 5 Stevens, D.L. Jr. 2002. Sampling design and statistical analysis methods for the integrated biological and physical monitoring of Oregon streams. OPSW-ODFW-2002-07, Department of Statistics, Oregon State University, Corvallis.
- 10 Steward, C.R. and T.C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish: a synthesis of published literature. Idaho Cooperative Fisheries and Wildlife Research Unit, Univ. of Idaho, Moscow, ID, Tech. Report 901.
- Stewart-Oaten, A., W.W. Murdoch, and K.R. Parker. 1986. Environmental impact assessment: "pseudoreplication" in time? Ecology 67:929-940.
- 15 Stocking, R.W. and J.L. Bartholomew. 2004. Assessing links between water quality, river health and Ceratomyxosis of salmonids in the Klamath River system. Department of Microbiology, Oregon State University, Corvallis, OR. 5 p. (81 Kb)
- Sumner, F.H. 1953. Migrations of salmonids in Sand Creek, Oregon. Trans. Am. Fish. Soc. 82:139-149.
- 20 Sumpter, J.P. and A.C. Johnson. 2005. Lessons from endocrine disruption and their application to other issues concerning trace organics in the aquatic environment. Environ Sci Technol 39, 4321-4332.
- 25 Suttle, K.B, Power, M.E., Levine, J.M., McNeely, C. 2004. How Fine Sediment in Riverbeds Impairs Growth and Survival of Juvenile Salmonids. Ecological Applications, 14(4), 969-974, pp. 973.
- 30 Swain, D.P., and L.B. Holtby. 1989. Differences in morphology and behavior between juvenile coho salmon (*Oncorhynchus kisutch*) rearing in a lake and in its tributary stream. Can. J. Fish. Aquat. Sci. 46:1406-1414.
- 35 Sweeting, R.M., Beamish, R.J., Noakes, D.J., and Neville, C.M. 2003. Replacement of wild coho salmon by hatchery-reared coho salmon in the Strait of Georgia over the past three decades. N. Am. J. Fish. Manage. 23:492-502
- Sweka, J.A., and K.J. Hartman. 2001. Influence of turbidity on brook trout reactive distance and foraging success. Transactions of the American Fisheries Society 130:138- 146.
- 40 Taylor, E.B., and J.D. McPhail. 1985. Variation in body morphology among British Columbia populations of coho salmon, *Oncorhynchus kisutch*. Can. J. Fish. Aquat. Sci. 42:2020-2028.
- The Nature Conservancy (TNC). 2003. Landscape-scale conservation: a practitioner's

- guide. Available online
[http://conserveonline.org/workspaces/cbdgateway/cap/resources/4/2/Landscape Practiciti
oners Handbook July03 PR.pdf](http://conserveonline.org/workspaces/cbdgateway/cap/resources/4/2/Landscape_Practiciti
oners_Handbook_July03_PR.pdf)
- 5 The Nature Conservancy. 2006. Pool and wood summaries for Siskiyou mountain streams by
stream size. Illinois Valley Conservation Action Plan. 6 p.
- Thomas, C.D. 1990. What do real population dynamics tell us about minimum viable population
sizes. *Conservation Biology* 4 (3): 324–327.
- 10 Thomas, C.D. 1994. Extinction, colonization, and metapopulations: environmental tracking by
rare species. *Conservation Biology* 8:373-378.
- Thompson, K. G., R. B. Nehring, D. C. Bowden, and T. Wygant. 1999. Field exposure of seven
15 species or subspecies of salmonids to *Myxobolus cerebralis* in the Colorado River,
Middle Park, Colorado. *Journal of Aquatic Animal Health* 11:312–329.
- Treuren, R.V., R Bijlsma, W. Van Delden, and N.J. Ouborgi. 1991. The significance of genetic
erosion in the process of extinction. I. Genetic differentiation in *Salvia pratensis* and
20 *Scabiosa columbaria* in relation to population size. *Heredity* 66: 181-189.
- Tripp, D., and P. McCart. 1983. Effects of different coho stocking strategies on coho and
cutthroat trout production in isolated headwater streams. Canadian Technical Report of
Fisheries and Aquatic Sciences 1212: 176 pp.
- 25 True, K. 2011. 2011 Klamath River Salmonid Health Monitoring. Memorandum dated
September 28, 2011, to Nick Hetrick, Arcatat Fish and Wildlife Office. U.S. Fish and
Wildlife Service. 7 p.
- 30 Tschaplinski, P.J. 1988. The use of estuaries as rearing habitats by juvenile coho salmon. In
T.W. Chamberlain (ed.), *Proceedings of a workshop: Applying 15 years of Carnation
Creek results*. (pp. 123-142). Nanaimo, BC: British Columbia Ministry of Environment,
Lands, and Parks.
- 35 Unwin M. J. 1997. Fry-to-adult survival of natural and hatchery-produced chinook salmon
(*Oncorhynchus tshawytscha*) from a common origin. *Canadian Journal of Fisheries and
Aquatic Sciences* 54: 1246-1254.
- 40 U.S. Department of Agriculture - Forest Service (USDA-FS) and U.S. Department of Interior -
Bureau of Land Management (USDI-BLM). 1994. Record of decision for amendments
to Forest Service and Bureau of Land Management planning documents within the range
of the northern spotted owl; standards and guidelines for management of habitat for late-
successional and old-growth forest related species within the range of the northern
45 spotted owl. April.

- U.S. Environmental Protection Agency (EPA). 1999. South Fork Eel River Total Maximum Daily Loads for Sediment and Temperature. Region IX.
- 5 U.S. Fish and Wildlife Service (USFWS). 2003. Klamath River Fish Die Off September 2002 –
Caustitive Factors of Mortality. Report Number AFWO-F-02-03. 128 p.
- U.S. Fish and Wildlife Service (USFWS) and Hoopa Valley Tribe (HVT). 1999. Trinity River Flow Evaluation Final Report. Report to the Secretary, U.S. Department of the Interior. Washington, D.C. Available at: <http://www.fws.gov/arcata/fisheries/reportsDisplay.html>. Accessed October 2008.
- 10 U.S. Global Change Research Program (USGCRP). 2002. Strategic Plan for the Climate Change Science Program Review draft, November 2002. 177p.
- 15 Van Doornik, D.M., D.J. Teel, D.R. Kuligowski, C.A. Morgan, and E. Casillas. 2007. Genetic analyses provide insight into the early ocean stock distribution and survival of juvenile coho salmon off the coasts of Washington and Oregon. *North American Journal of Fisheries Management* 27: 220-237.
- 20 Van Kirk, R.W., and S.W. Naman. 2008. Relative effects of climate and water use on base-flow trends in the lower Klamath Basin. *Journal of the American Water Resources Association* 44:1035–1052.
- 25 Wagener, S.M. and J.D. Laperriere. 1985. Effects of Placer Mining on the Invertebrate Communities of Interior Alaska Streams *Freshwater Invertebrate Biology*. Vol. 4, No. 4 (Nov., 1985), pp. 208-214
- 30 Wagner, E.J., Jeppsen, T., Arndt, R., Routledge, M.D. & Bradwisch, Q. 1997. Effects of rearing desity upon cutthroat trout hematology, hatchery performance, fin erosion and general health and condition. *The Progressive Fish-Culturist*, 59, 173-187.
- 35 Wainwright, T.C., M.W. Chilcote, P.W. Lawson, T.E. Nickelson, C.W. Huntington, J.S. Mills, K.M.S. Moore, G.H. Reeves, H.A. Stout, and L.A. Weitkamp. 2008. Biological Recovery Criteria for the Oregon Coast Coho Salmon Evolutionarily Significant Unit. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-NWFSC-91, 199 p.
- 40 Walters, C.J., R. Hilborn, R.M. Peterman, and M.J. Staley. 1978. Model for examining early ocean limitation of Pacific salmon production. *Journal of the Fisheries Research Board of Canada* 35:1303-1315.
- 45 Wang, L. and R. White. 1994. Competition between brown trout and hatchery greenback cutthroat trout of largely-wild parentage. *North American Journal of Fisheries Management* 14:475-487
- Waples, R. 1991. Pacific salmon, *Oncorhynchus* spp., and the definition of "species" under the Endangered Species Act. *Mar. Fish. Rev.* 53:11-22.

- Waters, T.F. 1983. Replacement of brook trout by brown trout over 15 years in a Minnesota stream: production and abundance. *Transactions of the American Fisheries Society* 112:137-146.
- 5 Warren, J.W. 1991. Diseases of hatchery fish, 6th edition. U.S. Fish and Wildlife Service, Pacific Region, Portland, Oregon.
- Washington Department of Fisheries (WDF). 1951. Lower Columbia River Fisheries Development Program: Planning reports for Grays River area, Elokomina area, Abernathy area, Cowlitz area, Kalama River area, Lewis River area, Washougal River area, Wind River area, Little White Salmon area, Big White Salmon area, and Klickitat River area. Preliminary draft, unnumbered. (Available from Washington Department of Fish and Wildlife, 600 Capitol Way N., Olympia, WA 98501-1091.
- 10 Washington Department of Fisheries (WDF), Washington Department of Wildlife (WDW), and Western Washington Treaty Indian Tribes (WWTIT). 1993. 1992 Washington State salmon and steelhead stock inventory (SASSI). Wash. Dep. Fish Wildl., Olympia, 212 p. plus three Appendices: Appendix One--Hood Canal and Strait of Juan de Fuca (December 1994, 424 p.), North Puget Sound (June 1994, 418 p.), and South Puget Sound (September 1994, 371 p.) Volumes; Appendix Two--Coastal stocks (August 1994, 587 p.); and Appendix Three--Columbia River stocks (June 1993, 580 p.). (Available Washington Department of Fish and Wildlife, 600 Capitol Way N., Olympia, WA 98501-1091.)
- 15 Washington State Department of Agriculture (WSDA). 2010. The Endangered Species Act and the impacts to Pesticide Registration and Use. 21p.
- 25 Weaver, W. and D. Hagans. 1996. Sediment treatments and road restoration: protecting and restoring watersheds from sediment-related impacts. pages 105-134 in *The Pacific Rivers Council, Inc. 1996 Healing the watershed: a guide to the restoration of watersheds and native fish in the West.*
- 30 Weitkamp, L. and K. Neely. 2002. Coho salmon (*Oncorhynchus kisutch*) ocean migration patterns: insight from marine coded-wire tag recoveries, *Canadian Journal of Fisheries and Aquatic Sciences* **59** (7) (2002), pp. 1100–1115.
- 35 Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-NWFSC-24, Northwest Fisheries Science Center, Seattle, Washington. 258 p.
- 40 Wells, B.K., C.B. Grimes, J.C. Field and C.S. Reiss. 2006. Covariation between the average lengths of mature coho (*Oncorhynchus kisutch*) and Chinook salmon (*O. tshawytscha*) and the ocean environment, *Fisheries Oceanography* **15** (2006), pp. 67–79.
- 45 Welsch, D.J. 1991. Riparian Forest Buffers; Function and design for protection and enhancement of water resources. USDA publication NA-PR-07-91
http://www.na.fs.fed.us/spfo/pubs/n_resource/buffer/cover.htm

- Welsh, H.H., G.R. Hodgson, M.F. Roche, B.C. Harvey. 2001. Distribution of Juvenile Coho Salmon (*Oncorhynchus kisutch*) in Relation to Water temperature in Tributaries of a Northern California Watershed: Determining Management Thresholds for an Impaired Cold-water Adapted Fauna. August 2000 North American Journal of Fisheries Management. U.S.D.A. Forest Service, Redwood Sciences.
5
- Wilkie MP, Wood CM. 1996. The adaptations of fish to extremely alkaline environments. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology* 113:665–673.
- Williams, D. 2010. Harvest of species listed under the Endangered Species Act. Yurok Tribal Fisheries. March 2010. 9 p.
10
- Williams, T.H., E.P. Bjorkstedt, W.G. Duffy, D. Hillemeier, G. Kautsky, T.E. Lisle, M. McCain, M. Rode, R.G. Szerlong, R.S. Schick, M.N. Goslin, A. Agrawal. 2006. Historical population structure of coho salmon in the Southern Oregon/Northern California Coasts evolutionarily significant unit. NOAA-TM-NMFS-SWFSC-390
- 15 Williams, T.H., B. Spence, W. Duffy, D. Hillemeier, G. Kautsky, T. Lisle, M. McCain, T. Nickelson, E. Mora, and T. Pearson. 2008. Framework for assessing viability of threatened coho salmon in the Southern Oregon / Northern California Coasts Evolutionarily Significant Unit. NOAA Technical Memorandum NMFS-SWFSC-432.
- Williams, T.H., S.T. Lindley, B.C. Spence, D.A. Boughton. 2011. Draft status review update for Pacific salmon and steelhead under the Endangered Species Act: Southwest. NOAA-TM-NMFS-SWFSC-XXX. December 2010. National Marine Fisheries Service. Southwest Fisheries Science Center. Santa Cruz, CA.
20
- Williamson, K. and D. Hillemeier. 2001. An assessment of pinniped predation upon fall- run Chinook salmon in the Klamath River estuary, California. Yurok Tribal Fisheries Program. 1998.
25
- Wood, J.W. 1979. Diseases of Pacific salmon, their prevention and treatment. Washington Department of Fisheries, Olympia. 82 pp.
- 30 Wood J.W. 1987. The genetic demography of the Gainj of Papua New Guinea. 2. Determinants of effective population size. *Am Nat* 129:165–187.
- Yoshiyama, R.M. and P.B. Moyle. 2010. Historical review of Eel River anadromous salmonids, with emphasis on Chinook salmon, coho salmon and steelhead. University of California at Davis. Center for Watershed Sciences working paper; a report commissioned by California Trout. Davis, CA. February 1.
35
- Yurok Tribe Environmental Program (YTEP). 2004 Water Quality Control Plan For the Yurok Indian Reservation. Yurok Tribe Environmental Program, Klamath, CA. 37 p. (708 Kb)

Ziemer, R.R. 1998. Flooding and stormflows. In: Ziemer, R.R., technical coordinator. Proceedings of the conference on coastal watersheds: the Caspar Creek story, 6 May 1998; Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 15-24.

5